

Subject Index to Volume 9

A

- Acetylcholine**
 muscarinic receptor activation, blood flow and, coronary, H941
 release, neural control, heart, H431
- Acidosis, insulin effects, cardiac, H636**
- Acid phosphatase, cathepsin D content, starvation-induced atrophy, heart, H222**
- Acid ribonuclease, cathepsin D content, starvation-induced atrophy, heart, H222**
- Action potential: see Potentials**
- Activation energy: see Energy**
- Actomyosin, natural, calcium ion sensitivity, infarction, cardiac, H704**
- Acylation, spontaneous hypertension, aortic, H33**
- Acyl carnitine, substrate effects, ischemic heart, H391**
- Acyl CoA, substrate effects, ischemic heart, H391**
- Adenosine**
 dipyridamide and, cerebral blood flow, H775
 formation sites, heart, H963
 muscarinic receptor activation, blood flow and, coronary, H941
 vasa vasorum nourishment, aortic wall, H781
- Adenosine deaminase, formation sites, heart, H963**
- Adenosine diphosphate, platelet accumulation and release (pig), H99**
- Adenosine kinase, formation sites, heart, H963**
- Adenosine monophosphate, cyclic cardiac relaxation, H441**
 levels, paired stimulus effects, heart, H441
 neural sympathetic stimulation, H630
 protein kinase, diabetes effects, myocardial, H375
- Adenosine triphosphatase**
 activities, sarcolemmal, taurine effects, heart failure, H238
 oligomycin-sensitive, myocardial ischemia (pig), H308
- Adenosine triphosphate, microregions, left ventricular subendocardium, H804**
- S-Adenosylhomocysteine hydrolase, adenosine formation, heart, H963**
- β -Adrenergic blockade: see Blockade**
- α -Adrenergic blockers, coronary vasoconstriction, H493**
- β -Adrenergic innervation, inhibitory, relaxation, mesenteric lymphatics, H498**
- Adrenergic mechanisms, intralobar pulmonary arteries and veins, H274**
- Adrenergic receptors: see Receptors**
- Adrenoreceptor: see Receptors**
- Afferent nerves**
 cardiac, contrasting reflexes, coronary occlusion, H620
 cardiopulmonary, carotid pressor response inhibition, H555
 sympathetic, contrasting reflex effects, coronary occlusion, H620
- Aging**
 arterial baroreceptor reflexes, racing (greyhound), H383
 pulmonary hypertension, chronic hypoxia, H62
 transcappillary pressure changes (Starling), H843
- Albumin**
 transmural diffusion, arterial stretch effects, H645
 transmural transport, aortic (dog, human, pig), H54
- Alkaline phosphatase, adenosine formation, heart, H963**
- Alloxan diabetes: see Diabetes**
- Aminopyrine, permeability, capillaries (frog), H597**
- Amphiphiles**
 coronary arteries and, H229
 erythrocytes and, H222
 perfused hearts and, H229
- Anemia, blood flow, cerebral, H209**
- Anephric state, vasopressin, catecholamines, plasma volume and, H827**
- Angiography, volume measurement, ventricular, H896**
- Angiotensin**
 analogs, pressor responses, renal artery stenosis, H862
 blockade: see Blockade
 competitive antagonists, pressor responses, renal artery stenosis, H862
 congeners, bradykinin potentiation, H255
 hypertension, renovascular, H788
 pressor responses, renal artery stenosis, H862
 receptor, antagonists, coronary vasoconstriction, H493
 relaxation, renal and cerebral arteries, H247
- Angiotensin-converting enzyme, bradykinin potentiation, H255**
- Angiotensin I, vascular effects, intrarenal, H914**
- Angiotensin II**
 antagonists, stenosis, renal artery, H2
 pressor response, volume expansion effects, pregnancy (ewe), H908
 Sar¹, Ile⁸-labeled, pressor responses, renal artery stenosis, H2, H827
 vascular effects, intrarenal, H914
- Anhidrosis, ectodermal dysplasia, vasodilation, H571**
- Anoxia**
 insulin effects, cardiac, H636
 ventricular tachyarrhythmias, reperfusion- and digitalis-induced, H730
- Ansa subclavia, left, cyclic nucleotides and norepinephrine stimulation, H630**
- Antagonists: see specific subject**
- Antipyrine, permeability, capillaries (frog), H597**
- Aorta**
 baroreceptor deafferentation, body fluid changes, H685
 constriction, RNA polymerase activity, muscle and nonmuscle cells, H901
 flow, cinematographic analysis, H286
 phospholipids, deacylation-reacylation cycle, spontaneous hypertension, H33
 serum protein transport, concentration, time and location effects (dog, human, pig), H54
 subcoronary stenosis, contractile function, H80
 thoracic, protein transport (dog, human, pig), H54
 vasa vasorum, nourishment and, H781
- Aortic arch, isolated, dominant inhibition, H555**
- Aortic depressor nerve, carotid pressor response inhibition, H555**
- Aortic flow: see Flow**
- Aortic nerve**
 depressor, dominant inhibition, H555
 transection, noradrenergic mechanisms after, H481
- Aortic valve**
 behavior, cinematography, H286
 closure, cinematography, H286
 opening, cinematography, H286
- Aortic wall, nourishment, vasa vasorum and, H781**
- Apnea, cigarette smoke and, H584**
- Arachidonates, aortic phospholipids, spontaneous hypertension, H33**
- Arachidonic acid, 15-hydroperoxy, angiotensin-induced relaxation, renal and cerebral arteries, H247**
- Arrhythmias**
 cardiac
 copper deficiency, electrocardiography, H185
 sympathetic neural effects, H590
 ventricular, anoxia effects, H730
- Arterial baroreceptor: see Receptors**
- Arterial stretch**
 Evan's blue dye transport, H645
 transmural albumin uptake, H645
- Arterial transport, diffusive transmural, protein, aortic (dog, human, pig), H54**
- Arteries: see also Blood flow; Blood pressure; Hemodynamics; Muscle; Permeability; Pressure; Receptors; Reflexes; and the specific artery**
 oxygen content, cerebral blood flow (lamb), H209
- Arterioles**
 cerebral, abnormalities, acute hypertension, H511
 system hypoxia effects, muscle microcirculation, H746
- Aspirin, angiotensin-induced relaxation, renal and cerebral arteries, H247**
- Atherosclerosis**
 arterial stretch effects, transmural albumin and Evan's blue dye transport, H645
 transmural protein transport, aortic (dog, human, pig), H54
- Atria: see Heart atria**
- Atrial receptors: see Receptors**

Atrioventricular reentrant tachycardia: *see* Tachycardia

Atropine

contractility, vascular smooth muscle, H971

muscarinic receptor activation, blood flow and, coronary, H941

Autonomic nervous system, cellular injury and, myocardial ischemia, H738

Autoregulation

acute hypertension, cerebral arterioles, H511

whole-body, salt loading hypertension, H361

Awake state

left ventricular regional function, ischemia effects, H413

preload changes, systolic pressure-diameter relations, H354

pulmonary injury and prostaglandin production, endotoxemia (sheep), H348

B

Bainbridge reflex: *see* Reflexes

Barium, cardiac muscle contracture, excitation-contraction coupling (mammal), H216

Baroreceptor reflexes: *see* Reflexes

Baroreceptor: *see* Receptors

Baroreceptors: *see* Receptors

Baroreflex: *see* Reflexes

Basal metabolism, oxygen consumption, cardiac, H39

Bile salts, amphiphile effects and, heart, H229

Biopsy, rapid-freezing transmural drill, cardiac, H126

Blockade

β -adrenergic, tachycardia, H874

angiotensin, hypertension, renovascular, H788

Blood, loss, cardiovascular effects, fetal (lamb), H45

Blood flow: *see also* Circulation;

Microcirculation

arterial, venous congestion, local, hand, H980

capsaicin injection, skeletal muscle, H315

cardiac function and, collateral development, H811

cerebral

adenosine effects, H775

arterial oxygen content effects (lamb), H209

dipyridamole effects, H775

coronary, right ventricular hypertrophy (pony), H881

distribution, cardiovascular effects, hemorrhage, fetal (lamb), H45

femoral, lumbar nerve stimulation (swine), H505

hepatic capacitance responses, H18

high-energy phosphates and, subendocardium, left ventricular, H804

integral of inflow minus outflow, hepatic, H18

myocardial, mitochondrial enzyme defects, ischemia (pig), H308

peripheral, venous congestion, local, hand, H980

platelets (pig), H99

regional myocardial, arterial

hypertension, H855

regional, salt loading hypertension, H361

regulation, adenosine formation, coronary, H963

renin-angiotensin system, fetal (sheep), H848

sinoatrial reflexes, defense behaviors, H421

transmural distribution, muscarinic receptor activation, coronary, H941

visceral, defense behaviors, H421

Blood pressure

aortic nerve transection, H481

arterial, hypoxic tachycardia, H874

cardiogenic chemoreflex, prostaglandin $F_{2\alpha}$, H528

cigarette smoke and, H584

inhibition, left aortic nerve, H555

systemic hypoxia effects, muscle

microcirculation, H746

Blood vessels, systemic hypoxia effects, muscle microcirculation, H746

Blood volume: *see also* Volume

Bainbridge reflex (baboon), H164

changes during exercise

oxygen delivery, H177

tissue oxygenation, H177

hypertension, H487

Bradycardia

carotid chemoreceptors, vagi and, H874

cigarette smoke and, H584

Bradykinin, potentiation, angiotensin congeners, H255

Brain, noradrenergic mechanisms, aortic nerve transection, H481

Brain stem, frontocortical pathway

blockade, ventricular fibrillation

prevention, ischemic heart, H156

Breathing: *see* Respiration

Butoxamine, injection, adrenoceptor desensitization after, H691

Bypass, cardiopulmonary, potassium and verapamil cardioplegia, ischemic arrest, H326

C

Calcium

antagonists, coronary vasoconstriction, H493

binding, sarcolemmal, taurine effects, heart failure, H238

high, adenosine monophosphate, cyclic levels, heart, H441

metabolism, potassium and verapamil cardioplegia, ischemic arrest, H326

paradox heart failure, taurine effects, H238

sarcolemmal binding, cardiac contractility and, muscle

preparations, H576

strophanthidin inotropy, Purkinje fibers, cardiac, H561

Calcium ions

channel blockers, endotoxemic shock, cardiac, H954

myocytes, metabolism, heart, H659

receptors: *see* Receptors

sensitivity, actomyosin, coronary occlusion, H704

cAMP: *see* Adenosine monophosphate, cyclic

Cannula, metal, cardiac relaxation indices, H669

Capacitance

hepatic

flow change responses, H18

venous pressure responses, H18

vascular resistance and, hypothermia, skin and skeletal muscle, H868

Capacitance vessels, venous, norepinephrine and tetrodotoxin, spontaneous hypertension, H837

Capillaries

density, oxygen exchange, muscle, H199

membrane, temperature effects, H29

microperfusion, temperature effects, H29

osmotic flow, heart, H448

permeability

antipyrine and aminopyrine (frog), H597

endotoxemia, lung (sheep), H348

reserve, oxygen exchange, muscle, H199

single, temperature effects on hydraulic conductivity, H29

transit times

frequency analysis, muscle, H199

oxygen exchange, muscle, H199

Capsaicin, injection, reflex cardiovascular response, skeletal muscle, H315

Captopril, endotoxemic shock, cerebellum pressor effects, H368

Carbon dioxide

intramural tension, myocardial ischemia, H855

tension, systemic hypoxia, muscle microcirculation, H746

Cardiac arrhythmias: *see* Arrhythmias, cardiac

Cardiac cells, calcium ion tolerant, exogenous substrate utilization, H659

Cardiac conduction: *see* Conduction

Cardiac cycle, negative dP/dt, end of systole and, H676

Cardiac denervation: *see* Heart

Cardiac depression, endotoxemic shock, H954

Cardiac function: *see* Heart

Cardiac muscle: *see* Muscle, heart

Cardiac nerves, sympathetic, hypoxic tachycardia, H874

Cardiac output

continuous positive-pressure effects, ventricular, H821

hemorrhage effects (chicken), H9

salt-loading hypertension, H361

sinoatrial reflexes, defense behaviors, H421

stenosis, renal artery, H2

Cardiac rhythm: *see* Rhythm

Cardioacceleratory reflex: *see* Reflexes

Cardioinhibitory reflex: *see* Reflexes

Cardioplegia, potassium and verapamil combination, ischemic arrest, H326

Cardiorespiratory interaction, (seal), H190

Cardiovascular changes

baroreceptor deafferentation, aortic, H685

renal artery stenosis, H2

Cardiovascular defense, sinoatrial reflexes, H421

Cardiovascular reflex: *see* Reflexes

Carotid chemoreceptor: *see* Receptors

Carotid occlusion, dominant inhibition, left aortic nerve, H555

Carotid pressor response: *see* Pressor response

Carotid sinus

baroreceptors: *see* Receptors

distension, ganglion transmission,

- cervical, H716
inhibition, cervical ganglion reflex, H716
perfusion, heart failure, H793
Carotid sinus nerve, tachycardia, hypoxic and cyanide-induced, H874
Catecholamines
 cardiac
 hypertrophy, renovascular hypertension, H408
 sympathectomy, 6-hydroxydopamine and denervation, H889
 hypertension, hypertonic saline-induced, H827
Cathepsin D, immunoreactive, starvation-induced atrophy, heart, H222
Catheter
 fluid-filled, relaxation indices, cardiac, H669
 indwelling, pulmonary hypertension, age and sex influences, H62
Cell membranes, amphiphile effects, H229
Cells: *see also* specific type
 injury, autonomic nervous system, myocardial ischemia, H738
Central nervous system, oxygen tensions, spinal cord, H761
Cerebellectomy, pressor effect, endotoxin shock, H368
Cerebellum
 compression, regional sympathetic outflows, H109
 pressor effect, endotoxin shock, H368
Cerebral arteries
 angiotensin-induced relaxation, H247
 oxygen content effects, blood flow (lamb), H209
Cerebral arterioles, abnormalities, acute hypertension, H511
Cerebral defense system, ventricular fibrillation prevention, ischemic heart, H156
Chemoreflex: *see* Reflexes
Choline, neural control, heart, H431
Cholinesterase, neural control, heart, H431
Chromatin-template activity, myocardial hypertrophy, muscle and nonmuscle cells, H901
Chromonar, coronary artery vasodilation, H767
Cinematography, aortic valve behavior, H286
Circulation: *see also* Blood flow;
 Microcirculation
 cutaneous, sweat gland absence, H571
 femoral, lumbar nerve stimulation (swine), H505
 neural control, coronary occlusion, H620
 peripheral, angiotensin I and II effects, intrarenal, H914
 prostaglandin D₂ effects, perinatal (goat, lamb), H755
 pulmonary, β -adrenergic receptors, hypoxia effects, neonatal (lamb), H697
 regional, baroreceptor reflexes, arterial, racing (greyhound), H383
Circulatory filling pressure: *see* Pressure
Circulatory system
 convolution integral, multiple regression analysis, H133
 transport function, multiple regression analysis, H133
Circumflex ligation, cellular injury, autonomic nervous system and, H738
Coenzyme A, synthesis, diabetes and fasting effects, heart, H606
Collagen, cardiac hypertrophy, renovascular hypertension, H408
Collaterals, cardiac function, blood flow and, H811
Compliance
 blood flow and venous pressure, hepatic, H18
 diastolic, ischemia effects, left ventricular, H413
 pulmonary vascular, regional sympathetic outflows, H109
 venous, hypertension, H487
Computer studies: *see* specific subject and site; *see also* Models
Conduction
 cardiac, active force, developmental changes, H546
 impulse, developmental changes, cardiac, H546
Contractile force, cardiac: *see* Muscle, heart
Contractile function, experimental aortic stenosis, H80
Contractility
 cardiac: *see* Muscle, heart
 heart: *see* Muscle, heart
 muscle: *see* Muscle
Contractions: *see* Muscle
Contracture, cardiac: *see* Muscle, heart
Converting enzyme
 angiotensin, bradykinin potentiation, H255
 inhibition
 renal hypertension, H408
 sodium and angiotension effects, hypertension, renovascular, H788
Cooling
 local, vascular responses, skin and skeletal muscle, H868
 systemic, vascular response, skin and skeletal muscle, H868
Copper, deficiency, electrocardiography, H185
Coronary artery
 amphiphile effects, H229
 conduit vessel, measurement, H73
 measurement, drugs and, H73
 occlusion, arterial hypertension, myocardial ischemia and, H855
 pressure, hyperemia, myocardial, H709
 vasoconstriction, thomboxane A₂ induced, H493
 vasoconstrictor chemoreflex, prostaglandin F_{2a}-induced, H528
 vasodilation, maximal, H767
Coronary hemodynamics: *see* Hemodynamics
Coronary obstruction, indicator dilution, resistance and transport increases, H262
Coronary occlusion
 actomyosin, calcium ion sensitivity and troponin loss, H704
 cardiac afferent nerves, contrasting reflex influences, H620
 collateral development effects, H811
 left ventricular wall thickness, regional, H293
 regional function recovery after, myocardium, H399
 temporary, recovery of function, myocardial, H399
 ultrasonic-dimension gauge, regional wall thickness, H293
Coronary permeability: *see* Permeability
Coronary resistance: *see* Resistance
Coronary stenosis: *see* Stenosis
Coronary transport, increase, obstruction, H262
Coronary vascular reserve, hypertrophy, blood flow, right ventricular (pony), H881
Coronary vasoconstriction: *see* Vasoconstriction
Coronary vasodilation: *see* Vasodilation
Coupling
 excitation-contraction
 barium-induced, cardiac muscle (mammal), H216
 calcium binding and, muscle preparations, H576
 exercise effects, myocardium, H472
 hypothermic ischemic myocardium, H336
Creatine phosphate, microregions, left ventricular subendocardium, H804
Cyanide, tachycardia, carotid chemoreceptors and vagi, H874
Cyclic adenosine monophosphate: *see* Adenosine monophosphate, cyclic
Cytochrome c, exercise effects, myocardium, H472
- D**
- Dantrium, sarcolemmal calcium binding, contractility and, cardiac, H576
Deacylation-reacylation cycle, aortic phospholipid, spontaneous hypertension, H33
Decamethonium, tachycardia, carotid chemoreceptors and vagi, H874
Deconvolution, circulatory system, multiple regression analysis, H133
Denervation
 cardiac: *see* Heart
 sinoaortic, cardiovascular defense, H421
Development: *see also* Fetus; Newborn changes, impulse conduction, heart, H546
 collateral, cardiac function and blood flow, H811
 femoral circulatory response, lumbar nerve stimulation (swine), H505
Dexamethasone, angiotensin-induced relaxation, renal and cerebral arteries, H247
Dextran, acute pericardial tamponade, H49
Diabetes
 alloxan, cAMP-protein kinase, myocardial, H375
 coenzyme A synthesis regulation, heart, H606
Diastole, left ventricular pressure, ischemic arrest, H300
Diastolic compliance: *see* Compliance
Diastolic mechanics, ischemia effects, left ventricular, H413
Diastolic pressure: *see* Pressure
Diet: *see* Feeding, and the specific dietary constituent
Diffusion, lateral, lipophilic solutes (frog), H597
Digitalis
 insulin effects, cardiac, H636
 ventricular tachyarrhythmias, anoxia effects, H730
Dipyridamole
 adenosine and, cerebral blood flow, H775
 coronary artery diameter, measurement, H73

- Drinking, baroreceptor deafferentation, aortic, body fluid changes after, H685
 Ductus arteriosus, glucocorticoid effects, preterm (infant and lamb), H430
 Dyes: *see* specific dye

E

- Edema
 pulmonary hemorrhagic, regional sympathetic outflows, H109
 transcapillary pressures, fetal, newborn, pregnant adult (Starling), H843
 Efferent nerves, sympathetic, cardiac: *see* Cardiac nerves
 Electrical activity, insulin effects, cardiac, H636
 Electrocardiography, copper deficiency, H185
 Electrogenic pump: *see* Pump
 Electrolytes
 cell, ischemic arrest, H116
 plasma, hemorrhage effects (chicken), H9
 Electron microscopy, acute hypertension, cerebral arterioles, H511
 Electrophysiology: *see* specific subject and site
 End-diastolic volumes: *see* Volume
 Endothelial cell, permeability, lipophilic solutes (frog), H597
 Endotoxemia, pulmonary injury, prostaglandin production and, awake state, H348
 Endotoxic shock: *see* Shock
 Endotoxin
 Escherichia coli, pressor effect, cerebellum, H368
 gram-negative effects, glucose uptake, skeletal muscle, H342
 insulinlike effect, skeletal muscle, H342
 insulinomimetic action, skeletal muscle, H342
 prostaglandin production, lung (sheep), H348
 End systole, oxygen consumption, ventricular pressure-volume area, H320
 Energy
 activation, lipophilic solute permeability (frog), H597
 potential, oxygen consumption, cardiac, H39
 Enzymes: *see* Converting enzyme, and the specific enzyme
 Epinephrine
 barium-induced contracture, cardiac muscle (mammal), H216
 contractility, vascular smooth muscle, H971
 isoproterenol effects, adrenoreceptor desensitization, H691
 pulmonary circulation effects, hypoxia, neonatal (lamb), H697
 Erythrocytes
 amphiphile effects, H229
 lipid peroxidation, H800
 unloading time, oxygen exchange, muscle, H199
 velocity, capillary transit times, muscle, H199
 Evan's blue dye
 binding, arterial stretch effects, H645
 transport, arterial stretch effects, H645

- Excitation-contraction coupling: *see* Coupling
 Exercise
 collateral development and, cardiac, H811
 excitation-contraction coupling, myocardium, H472
 external mechanical work, oxygen consumption, cardiac, H39
 isometric, capsaicin injection, skeletal muscle, H315
 maximal, capillary transit times, oxygen exchange, muscle, H199
 racing, arterial baroreceptor reflexes (greyhound), H383
 reflex cardiovascular response, capsaicin injection, skeletal muscle, H315
 training, excitation-contraction coupling, myocardium, H472
 treadmill, blood volume and oxygen delivery, H177

F

- Fasting
 coenzyme A synthesis regulation, heart, H606
 starvation, immunoreactive cathepsin D, heart, H222
 Fatty acids, spontaneous hypertension, aortic, H33
 Feeding, liquid-protein diet, copper deficiency, H185
 Femoral circulation: *see* Circulation
 Fetus
 hemorrhage, cardiovascular effects (lamb), H45
 prostaglandin D₂ effects, circulation (goat, lamb), H755
 renin-angiotensin system role, hemorrhage response (sheep), H848
 stress, cardiovascular effects (lamb), H45
 transcapillary pressure (Starling), H843
 Fibrillation
 ventricular
 frontocortical-brain stem blockade, ischemic heart, H156
 intracellular recording, H465
 Filter, arterial pressure, open-loop gain estimation, H832
 Filtration, transcapillary, capacitance response, hepatic, H18
 Flow
 aortic, maximal negative dP/dt, end of systole, H676
 myocardial, cardiac function and, collateral development, H811
 osmotic transcapillary heart, H448
 secondary driving forces, heart, H457
 Flowmetry, ultrasonic, venous congestion, local, hand, H980
 Flow response, passive, hyperemia, myocardial, H709
 Fluid
 body, baroreceptor deafferentation, aortic, H685
 distribution, transcapillary, fetal, newborn, pregnant adult (Starling), H843
 Force-velocity-length relations: *see* Muscle, heart
 Forearm, blood flow, venous congestion, local, H980
 Fourier analysis, high-frequency harmonics, cardiac relaxation, H669

- Frank-Starling mechanism, systolic pressure-diameter relations, awake state, H354
 Free oxygen radicals, acute hypertension, cerebral arterioles, H511

G

- Ganglia
 cervical transmission, carotid sinus distension, H716
 reflex: *see* Reflexes
 Gastric distension, reflexes, cardiovascular, H539
 Glucocorticoids, antenatal, ductus arteriosus, preterm (infant and lamb), H430
 Glucose
 calcium ion-tolerant myocytes, cardiac, H659
 plasma, hemorrhage effects (chicken), H9
 uptake, gram-negative endotoxin effects, skeletal muscle, H342
 Glutathione peroxidase, platelets, H800
 Glycogen, subcellular function, hypothermic ischemic myocardium, H336
 Glycoside, thallium exchange, heart ventricle, H612
 Gracilis muscle, vasoconstrictor cardiogenic chemoreflex, prostaglandin F_{2α}-induced, H528
 Guanosine monophosphate, 3',5'-, neural sympathetic stimulation, H630
 Guanylate cyclase, activation, cardiac relaxation, H441

H

- Hand, arterial blood flow, venous congestion, local, H980
 Harmonics, high-frequency, relaxation indices, cardiac, H669
 Heart
 acetylcholine release, H431
 adenosine formation sites, H963
 afferent nerves, contrasting reflexes, coronary occlusion, H620
 aftercontractions, spontaneous hypertension, H927
 atrophy, starvation-induced, cathepsin D content, H222
 biopsy, rapid-freezing transmural drill, H126
 calcium ion-tolerant myocytes, exogenous substrate utilization, H659
 coenzyme A synthesis regulation, diabetes and fasting effects, H606
 cyclic nucleotides and norepinephrine, stimulation, H630
 denervation
 catecholamine stores after, H889
 sympathetic, autonomic nervous system and, H738
 dimensions, improved transducer, sonomicrometry, H664
 diseases, biopsy drill, H126
 dP/dt function, relaxation indices, H669
 efficiency, ventricular systolic pressure-volume area, H39
 electrophysiology
 coronary occlusion, contrasting reflex effects, H620

- developmental changes, H546
- sympathetic neural effects, H590
- thyroid hormone effects, cardiac Purkinje fibers, H934
- energetics, ventricular pressure-volume area, H320
- external work, ventricular pressure-volume area, H320
- failure
 - baroreflex control, heart rate, H793
 - congestive, sodium-potassium pump, H168
 - irreversible, taurine effects, H238
 - mechanical recovery, taurine effects, H238
- function, myocardial flow and, collateral development, H811
- immunoreactive catepsin D, starvation-induced atrophy, H222
- impulse conduction, developmental changes, H546
- ischemic: *see also* Ischemia, heart
 - copper deficiency, electrocardiography, H185
 - psychological stress, ventricular fibrillation prevention, H156
 - psychosocial risk factor, ventricular fibrillation prevention, H156
 - sarcolemmal integrity, taurine effects, H238
 - sudden death, H156
 - ventricular fibrillation prevention, H156
- isolated, isovolumetric properties, spontaneous hypertension, H927
- isovolumic, catecholamine stores, H889
- lysosomal enzymes, starvation, H222
- mechanics, ventricular pressure-volume area, H320
- muscle: *see* Muscle, heart
- neural control, H431
- oxygen consumption, ventricular systolic pressure-volume area, H39
- perfused, amphiphile effects, H229
- pressure-volume area, oxygen consumption regression, H320
- relaxation
 - adenosine monophosphate, cyclic and, H441
 - high-frequency harmonics, H669
- tissues, insulin effects, H636
- transcapillary osmotic flow, H448, H457
- ultrastructure, developmental changes, H546
- working
 - diabetes effects, H375
 - substrate effects, H391
- Heart atria
 - contraction: *see* Muscle, heart, contractility
 - receptors, Bainbridge reflex (baboon), H164
 - recovery properties, sympathetic neural effects, rhythm, H590
- Heart cells: *see also* Muscle cells, heart; Cardiac cells
 - ventricular, intracellular recording, fibrillation, H465
- Heart rate
 - aortic nerve transection, H481
 - Bainbridge reflex (baboon), H164
 - baroreflex control abnormalities, heart failure, H793
 - lung inflation effects, (seal), H190
 - nervous control, tachycardia, H874
 - sinoatrial reflexes, defense behaviors, H421
- systemic hypoxia effects, muscle microcirculation, H746
- Heart ventricles
 - biopsy drill, H126
 - compliance, ischemic arrest, H300
 - continuous positive-pressure ventilation effects, pressure-volume relations, H821
 - energetics, oxygen consumption, H39
 - fibrillation
 - frontocortical-brain stem blockade, ischemic heart, H156
 - intracellular recording, H465
 - function, stenosis, H80
 - hyperexcitable periods, spontaneous hypertension, H927
 - hypertrophy, renovascular hypertension, H408
 - interaction, H87
 - intrinsic rate, spontaneous hypertension, H927
 - isovolumetric properties, spontaneous hypertension, H927
 - mechanics, oxygen consumption, H39
 - performance, subendocardium and subepicardium, H920
 - pressure-volume area, oxygen consumption regression, H320
 - relaxation, ischemic arrest, H300
 - systolic pressure-volume area, oxygen consumption, H39
 - systolic time, maximal negative dP/dt , H676
 - thallium exchange
 - glycoside effects, H612
 - hyperkalemia effects, H612
- Heart ventricles, left
 - compliance, H87
 - contractility, smoke stimulation, H584
 - diameter, subendocardium and subepicardium, H920
- dP/dt
 - cyclic nucleotides and norepinephrine, H630
 - maximal negative, end of systole, H676
 - end-diastolic pressure, ischemic arrest and perfusion, H300
- function
 - amphiphile effects, H229
 - ischemia effects, awake state, H413
 - geometry, transducer, sonomicrometry, H664
- mechanics
 - subendocardium role, H920
 - subepicardium role, H920
- performance, subendocardium and subepicardium, H920
- regional wall thickness, coronary occlusion, H293
- subendocardium, blood flow and high-energy phosphates, H804
- volume, subendocardium and subepicardium, H920
- volume measurement, radiopaque markers, H896
- wall thickness, subendocardium and subepicardium, H920
- Heart ventricles, right
 - distension, H87
 - hypertrophied
 - coronary blood flow and (pony), H881
 - monocrotaline intoxication effects, H149
 - volume measurement, radiopaque markers, H896
- Hematocrit, capacitance responses, densitometry, hepatic, H18
- Hemodilution, oxygen delivery, exercise, H177
- Hemodynamics
 - coronary, vasodilation, H767
 - volume measurement, radiopaque markers, ventricular, H896
- Hemorrhage
 - acute, cardiovascular effects, fetal (lamb), H45
 - hematologic effects (chicken), H9
 - quick mild, open-loop gain, H832
 - renin-angiotensin role, fetal (sheep), H846
 - vascular effects (chicken), H9
- Hering-Breuer reflex: *see* Reflexes
- Heterogeneity, microvascular, capillary transit times, muscle, H199
- Histamine, contractility, vascular smooth muscle, H971
- Histofluorescent nerves, catecholamine stores, cardiac, H889
- Hormones: *see* specific hormone
- Hydralazine, acute pericardial tamponade, H49
- Hydraulic conductivity, temperature effects, single capillaries, H29
- Hydrocortisone, ductus arteriosus, preterm (infant and lamb), H430
- 15-Hydroperoxy arachidonic acid: *see* Arachidonic acid
- Hydrophilic solutes, permeability, capillaries (frog), H597
- 6-Hydroxydopamine, catecholamine stores after, cardiac, H889
- Hyperemia
 - myocardial, coronary artery pressure dependency, H709
 - reactive, coronary artery vasodilation, H767
- Hyperkalemia, thallium exchange, heart ventricle, H612
- Hypertension
 - acute, cerebral arteriolar abnormalities, H511
 - aortic nerve transection, H481
 - arterial stretch effects, transmural albumin and Evan's blue dye transport, H645
 - hypertonic saline-induced, vasopressin, catecholamines and plasma volume, H827
 - neurogenic, baroreceptor deafferentation, aortic, H685
 - one-kidney, one-clip Goldblatt groups, venous capacity, H487
 - pressor responses, vasopressin, H862
- pulmonary
 - chronic hypoxia, age and sex influences, H62
 - recovery, age and sex influences, H62
- renal, cardiac hypertrophy, therapy, H408
- renovascular
 - indomethacin effects, H533
 - sodium and angiotensin effects, H788
 - salt loading, regional blood flow, H361
- spontaneous
 - aortic phospholipid deacylation-reacylation cycle, H33
 - cardiac hypertrophy, therapy, H408
 - isovolumetric properties, heart ventricles, H927
 - norepinephrine and tetrodotoxin, H837
 - stenosis, renal artery, H2
 - systemic arterial, myocardial ischemia and, H855
 - venous capacity, H487

- Hyperthyroidism, transmembrane potential, cardiac Purkinje fibers, H934
- Hypertonic solutions, saline-induced hypertension, vasopressin, catecholamines and plasma volume, H827
- Hypertrophy
cardiac, renovascular hypertension, therapy, H408
coronary blood flow, right ventricular myocardium (pony), H881
left ventricular, contractile function, H80
myocardial
isovolumetric properties, heart ventricles, H927
RNA polymerase activity, muscle and nonmuscle cells, H901
sodium-potassium pump, heart muscle, H168
- Hypothermia
excitation-contraction coupling, ischemic myocardium, H336
ischemic arrest, myocardial volume regulation, H116
vascular responses to, skin and skeletal muscle, H868
- Hypoxanthine, formation sites, heart, H963
- Hypoxia
adenosine formation sites, heart, H963
blood flow, cerebral, H209
carbon monoxide effects, blood flow, cerebral, H209
chronic, pulmonary hypertension, age and sex influences, H62
 β -receptor reactivity, pulmonary vascular, neonatal (lamb), H697
systemic
carotid chemoreceptors and vagi, H874
microcirculation, muscle, H746
tachycardia, carotid chemoreceptors and vagi, H874
- I**
- Impulse conduction: *see* Conduction
- Indomethacin
contractility, vascular smooth muscle, H971
ductus arteriosus, preterm (infant and lamb), H430
hypertension, renovascular, H533
- Infarction
myocardial
calcium ion sensitivity, actomyosin, H704
experimental, autonomic nervous system and, H738
left ventricular wall thickness, regional, H293
size reduction, autonomic nervous system and, H738
- Innervation
regional, heart, H590
vasoconstrictor, femoral circulation (swine), H505
vasodilator, femoral circulation (swine), H505
- Inosine, formation sites, heart, H963
- Isotropy, heart muscle: *see* Muscle, heart, contractility
- Insulin, cardiac tissues, electrical activity, H636
- Interstitial collagen, ischemic arrest, myocardial, H116
- Interstitial free fluid pressure: *see* Pressure

- Interstitial protein osmotic pressure: *see* Pressure
- Intracellular recording, ventricular cells, fibrillation, H465
- Intramitochondrial amorphous densities, substrate effects, ischemia, H391
- Ions, transport, resting potential changes, heart muscle, H168
- Ischemia
arrest, myocardial protection from, H326
coronary, resistance and transport increases, H262
excitation-contraction coupling, hypothermic myocardium, H336
heart
copper deficiency, electrocardiography, H185
structure, function and metabolism, substrate effects, H391
taurine effects, H238
ventricular fibrillation prevention, H156
hypothermic, myocardial volume regulation, H116
injury, autonomic nervous system and, H738
left ventricular pressure, elevated after, H300
myocardial
electron transfer complex I (pig), H308
heart ventricles, H87
inner membrane enzyme defects, mitochondrial (pig), H308
left ventricular function, awake state, H413
regional function recovery after, H399
systemic arterial hypertension effects, H855
ventricular fibrillation prevention, H156
vasodilation, coronary artery, H767
ventricular tachyarrhythmias, reperfusion, H730
- Isometric exercise: *see* Exercise
- Isoproterenol
injection, adrenoceptor desensitization after, H691
phosphorylase activation, diabetes effects, myocardial, H375
pulmonary circulation effects, hypoxia, neonatal (lamb), H697
- Isoproterenol hydrochloride, blood flow, myocardial (pony), H881
- Isovolumetric properties, spontaneous hypertension, heart ventricles, H927

K

- Kidney
function curve, baroreceptor deafferentation, aortic, H685
hypertension
pressor responses, vasopressin, H862
sodium and angiotensin effects, H788
vascular effects, angiotensin I and II, H914
- Kininase II, bradykinin potentiation, H255

L

- Lactate, calcium-ion tolerant myocytes, cardiac, H659
- Lagrangian strain, left ventricular regional function, H413
- Landis technique, lipophilic solutes, capillary permeability (frog), H597

- Length-tension relations, cardiac: *see* Muscle, heart
- Lipids
neutral, spontaneous hypertension, aortic, H33
peroxidation, platelets, H800
Lipophilic solutes, permeability, capillaries (frog), H597
Lipoprotein, transmural transport, aortic (dog, human, pig), H54
- Liver
capacitance responses, blood flow and venous pressure, H18
compliance, blood flow and venous pressure, H18
filtration, blood flow and venous pressure, H18
sinusoids, blood flow and venous pressure, H18
- Loop
closed experiment, arterial pressure control system, H832
open, gain, arterial pressure control system, H832
- Lumbar nerve, stimulation, femoral circulatory response (swine), H505
- Lung
adrenergic mechanisms, intralobar arteries and veins, H274
cardiorespiratory interactions, (seal), H190
inflation
heart rate (seal), H190
respiration (seal), H190
vagal afferent activity (seal), H190
lymph, endotoxemia, prostaglandin production (sheep), H348
prostaglandin production, endotoxemia (sheep), H348
structure and function, monocrotaline intoxication effects, H149
- Lymph, lung, endotoxemia, prostaglandin production (sheep), H348
- Lysophosphatidylcholine, erythrocytes, coronary arteries, perfused hearts and, H229
- Lysosomal enzymes, starvation, heart, H222
- Lysosomes, cathepsin D content, starvation, heart, H222

M

- Malondialdehyde, lipid peroxidation, platelets, H800
- Manganese, barium-induced contracture, cardiac muscle (mammal), H216
- Mathematical models: *see* Models; *see also* specific subject and site
- Membrane
cell, permeability, ischemic arrest, H116
potentials: *see* Potentials
resistance: *see* Resistance
- Mesenteric lymphatics, relaxation, transmural stimulation (bovine), H498
- Metabolism: *see* specific subject and site
- Metabolites, vasodilator, hyperemia, myocardial, H709
- Metals, trace, copper deficiency, electrocardiography, H185
- Micelles, coronary arteries, erythrocytes, perfused hearts and, H229
- Microautoradiography, quantitative, protein transport, aortic (dog, human, pig), H54

- Microcirculation, muscle, systemic hypoxia, H746
- Microelectrodes, intracellular techniques, ischemia, myocardial, H738
- Microperfusion
capillary, lipophilic solutes (frog), H597
subendocardium, left ventricular, H804
- Micropipette holder, motion compensated, intracellular recording, fibrillation, H465
- Microspheres
acute pericardial tamponade, H49
adenosine and dipyridamole effects, cerebral blood flow, H775
radioactive
angiotensin I and II effects, intrarenal, H914
blood flow, hypertension, H361
collateral development effects, cardiac, H811
vasa vasorum, aortic wall nourishment, H781
- Mitochondria, function, potassium and verapamil cardioplegia, H326
- Mitochondrial enzymes, inner membrane defects, myocardial ischemia (pig), H308
- Models
aortic valve behavior, H286
baroreceptor output, respiratory maneuvers, H721
computer, reentrant tachycardia stability, H947
mathematical, transport function using multiple regression analysis, H133
pressure dependency, coronary reactive hyperemia, H709
prostaglandin D₂, perinatal circulation and, H755
rapid-freezing transmural cardiac biopsy drill, H126
transcapillary osmotic flow, heart, H448
ultrasonic transducer, cardiac, H664
ventricular cell fibrillation, action potential, H465
- Monocrotaline, intoxication, pulmonary structure and function changes, H149
- Monomers, coronary arteries, erythrocytes, perfused hearts and, H229
- Morphology, quantitative, hypertension, age and sex influences, H62
- Mueller maneuvers, baroreceptor output, H721
- Muscarinic receptors: *see* Receptors
- Muscle
afferents, reflex response, cardiovascular, capsaicin injection, H315
capillary transit times, oxygen exchange, H199
microcirculation, systemic hypoxia, H746
potassium-induced relaxation, vascular, H971
striated, stimulus-response contractility, H971
tension development, vascular, H971
- Muscle, heart
blood flow, sinoaortic reflexes, H421
cellular injury, ischemia, autonomic nervous system and, H738
coenzyme A synthesis, diabetes and fasting effects, H606
contractile force, calcium and sodium effects, Purkinje fibers, H561
contractility
cigarette smoke effects, H584
dysfunction, endotoxemic shock, H954
inotropic responsiveness, endotoxemic shock, H954
sarcolemmal calcium binding and, muscle preparations, H576
contraction
barium-induced mechanism (mammal), H216
preload and systolic pressure-diameter relations, H354
force-velocity-length relations, awake state, H354
length-tension relations, developmental changes, H546
papillary
barium-induced contracture (mammal), H216
exercise effects, excitation-contraction coupling, H472
preparations, sarcolemmal calcium binding and contractility, H576
relaxation, high-frequency harmonics, H669
resting potential changes, sodium-potassium pump, H168
strophanthidin inotropic, calcium and sodium effects, Purkinje fibers, H561
- Muscle, skeletal
blood flow, hypertension, H361
glucose uptake, gram-negative endotoxin effects, H342
reflex response, cardiovascular, capsaicin injection, H315
vascular resistance, hemorrhage (chicken), H9
vascular responses, hypothermia, H868
- Muscle, smooth
contractility, stimulus response, vascular, H971
contraction, transmural stimulation, lymphatic (bovine), H498
pulmonary vascular, receptors, H274
relaxation, transmural stimulation, lymphatic (bovine), H498
vascular, hypothermia effects, H868
- Muscle cells, heart
RNA polymerase activity, myocardial hypertrophy, H901
transcription, myocardial hypertrophy, H901
- Myocardial infarction, left ventricular wall thickness, regional, H293
- Myocardium: *see also* Muscle, heart
acute ischemia, systemic arterial hypertension effects, H855
adaptation, exercise, H472
adenosine monophosphate, cyclic-protein kinase cascade system, diabetes effects, H375
atrial, contractile dysfunction, endotoxemic shock, H954
blood flow, mitochondrial enzyme defects, ischemia (pig), H308
contraction: *see* Muscle, heart
cyclic nucleotides and norepinephrine, neural sympathetic stimulation, H630
depression, contractile dysfunction, endotoxemic shock, H954
exercise effects, excitation-contraction coupling, H472
flow, cardiac function and, collateral development, H811
geometry, ischemia effects, H413
hypertrophy, blood flow, right ventricular (pony), H881
hypothermic ischemia, excitation-contraction coupling, H336
ischemic, regional function recovery, H399
preservation, autonomic nervous system and, H738
protection, ischemic arrest, H300, H326
reactive hyperemia, coronary artery pressure, H709
regional function, coronary occlusion, H293, H399
regional perfusion, coronary artery vasodilation, H767
relaxation, heart ventricles, H87
stiffness, ischemia effects, H413
subcellular function, ischemia, hypothermia and, H336
thallium exchange, hyperkalemia and glycoside effects, H612
volume regulation
hypothermic ischemic arrest, H116
normothermic ischemic arrest, H116
- Myocytes, cardiac: *see* Cardiac cells; Muscle cells, heart
- Myofibrils, subcellular function, hypothermic ischemic myocardium, H336
- Myogenic response, hyperemia, myocardial, H709
- N
- NADH-CoQ-reductase, mitochondrial enzyme defects, myocardial ischemia (pig), H308
- Naloxone, endotoxin shock, cerebellum pressor effects, H368
- Necrosis
endothelial, acute hypertension, cerebral arterioles, H511
medial, vasa vasorum role, aortic wall nourishment, H781
- Neonate, β -adrenergic receptors, hypoxic pulmonary circulation (lamb), H697
- Nerves: *see* specific nerve and site
- Neural control
circulation, coronary occlusion, H620
mechanisms, racing (greyhound), H383
- Neural stimulation, sympathetic, cardiac cyclic nucleotides and norepinephrine, H630
- Neurogenic relaxation, transmural stimulation, lymphatics, H498
- Neurotransmission, adrenergic, intralobar pulmonary arteries and veins, H274
- Newborn
prostaglandin D₂ effects, circulation (goat, lamb), H755
transcapillary pressure (Starling), H843
- Nifedipine, coronary vasoconstriction, H493
- Nitroglycerin, coronary artery diameter, measurement, H73
- Nitroprusside, acute pericardial tamponade, H49
- Nociceptor, cardiac, contractility and smoke, H584
- Nonadrenergic innervation, inhibitory, relaxation, mesenteric lymphatics, H498
- Noradrenergic mechanisms, aortic nerve transection, brain and peripheral organs, H481
- Norepinephrine
cardiac cyclic nucleotides and, neural sympathetic stimulation, H630

Norepinephrine (*continued*)

- carotid sinus baroreceptor stimulation, H650
- contractility, vascular smooth muscle, H971
- extraneuronal reuptake, pulmonary vascular smooth muscle, H274
- neuronal uptake, pulmonary vascular smooth muscle, H274
- pulmonary circulation effects, hypoxia, neonatal (lamb), H697
- strophanthidin inotropy, Purkinje fibers, H561
- tissue, aortic nerve transection, H481
- turnover, aortic nerve transection, H481
- venous membrane potential response, spontaneous hypertension, H837
- 5'-Nucleotidase, adenosine formation, heart, H963
- Nucleotides, cyclic, cardiac, norepinephrine and, neural sympathetic stimulation, H630

O

- Open-loop gain, arterial pressure control system, H832
- Osmolality, plasma, hemorrhage effects (chicken), H9
- Osmotic buffering, transcapillary, secondary driving forces, heart, H457
- Osmotic flow: *see* Flow
- Osmotic pressure: *see* Pressure
- Osmotic reflection coefficient, capillaries (frog), H597
- Osmotic transient transcapillary heart, H448
- secondary driving forces, heart, H457
- Ouabain
 - cAMP levels, heart, H441
 - contractility, vascular smooth muscle, H971
- Overdrive, sodium-potassium pump, heart muscle, H168
- Oxidative phosphorylation, potassium and verapamil cardioplegia, ischemic arrest, H326
- Oxygen
 - arterial content changes, cerebral blood flow (lamb), H209
 - consumption
 - blood flow, cerebral, H209
 - blood volume changes, exercise, H177
 - cardiac, ventricular systolic pressure-volume area, H39
 - ventricular pressure-volume area, cardiac, H320
 - cost, ventricular pressure-volume area, H320
 - delivery
 - blood flow, cerebral, H209
 - blood volume changes during exercise, H177
 - diffusion, capillary transit times, muscle, H199
 - diffusion fields, spinal cord, H761
 - exchange, capillary transit times, muscle, H199
 - gradients, capillary transit times, muscle, H199
 - microelectrodes, spinal cord, H761
 - shunt, capillary transit times, muscle, H199

- tension
 - spinal cord, H761
 - systemic hypoxia, muscle microcirculation, H746
- Oxygenation, blood volume changes, exercise, H177

P

- pA₂, pulmonary vascular smooth muscle, H274
- Palmitate
 - calcium-ion tolerant myocytes, cardiac, H659
 - structure, function and metabolism correlates, ischemic heart, H391
- Pantothenate kinase, diabetes and fasting effects, heart, H606
- Pantothenic acid, diabetes and fasting effects, heart, H606
- Papillary muscle: *see* Muscle, heart
- Parasympathetic nervous system, acetylcholine release, neural control, heart, H431
- Partition coefficient, capillaries (frog), H597
- Peptides, vasoactive, angiotensin I and II, intrarenal vascular effects, H914
- Pericardium, acute tamponade, volume and vasodilator effects, H49
- Peripheral resistance: *see* Resistance
- Peritoneum, intraperitoneal distension, reflexes, cardiovascular, H539
- Permeability
 - antipyrine and aminopyrine, capillaries (frog), H597
 - cell membrane, ischemic arrest, H116
 - coronary, resistance and transport increases, obstruction, H262
- pH, tissue, systemic hypoxia, muscle microcirculation, H746
- Pharmacology: *see* specific subject and site
- Phenoxybenzamine
 - hemorrhage effects (chicken), H9
 - pulmonary circulation effects, hypoxia, neonatal (lamb), H697
- Phenylephrine, arterial hypertension, myocardial ischemia, H855
- Phosphates, high energy, blood flow and, subendocardium, left ventricular, H804
- Phosphatidylcholine, spontaneous hypertension, aortic, H33
- Phospholipase, spontaneous hypertension, aortic, H33
- Phospholipids, aortic, deacylation-reacylation cycle, spontaneous hypertension, H33
- 4'-Phosphopanthetheine, diabetes and fasting effects, heart, H606
- Phosphorylase, activation, isoproterenol-induced, diabetes effects, myocardial, H375
- Phosphorylation, oxidative: *see* Oxidative phosphorylation
- Plasma
 - constituents: *see* specific constituent
 - electrolytes: *see* Electrolytes
 - osmolality: *see* Osmolality
 - volume: *see* Volume
- Platelets
 - accumulation and release (pig), H99
 - interfacial concentration, release (pig), H99
 - lipid peroxidation, H800
 - mass transport (pig), H99

Postganglionic action potentials: *see* PotentialsPostganglionic sympathetic nerve: *see* Sympathetic nerve

- Potassium
 - cardioplegia, ischemic arrest, H326
 - contractility, vascular smooth muscle, H971
- Potential energy, ventricular pressure-volume area, H326
- Potentials
 - action
 - exercise effects, excitation-contraction coupling, myocardium, H472
 - fibrillation, ventricular cells, H465
 - thyroid hormones and Purkinje fibers, cardiac, H934
 - membrane
 - barium-induced contracture, cardiac muscle (mammal), H216
 - insulin effects, cardiac, H636
 - postganglionic action, carotid sinus distension and, H716
 - resting, sodium-potassium pump, heart muscle, H168
 - transmembrane
 - cellular injury, ischemia, myocardial, H738
 - norepinephrine and tetrodotoxin, spontaneous hypertension, H837
 - thyroid hormone effects, cardiac Purkinje fibers, H934
 - venous membrane, norepinephrine and tetrodotoxin, spontaneous hypertension, H837
- Practolol, injection, adrenoreceptor desensitization after, H691
- Pregnancy: *see also* Fetus
 - angiotensin II pressor response, volume expansion effects (ewe), H908
 - transcapillary pressure (Starling), H843
- Preload, changes, systolic pressure-diameter relations, awake state, H354
- Pressor effect, endotoxin shock, cerebellum, H368
- Pressor hyperresponsiveness: *see* Pressor response
- Pressor response
 - carotid, inhibition by left aortic depressor nerve, H555
 - hyperresponsiveness, vasopressin, renal artery stenosis, H862
 - stenosis, renal artery, H2
 - vasopressin, renal artery stenosis, H862
 - volume expansion effects, angiotensin II, pregnancy (ewe), H908
- Pressure
 - arterial
 - endotoxin shock, H368
 - sinoarctic reflexes, defense behaviors, H421
 - arterial control system, open-loop gain estimation, H832
 - capillary, fetal, newborn, adult, pregnant adult (Starling), H843
 - coronary artery, hyperemia, myocardial, H709
 - diastolic, myocardial ischemia, H855
 - end-diastolic, left ventricular, ischemic arrest, H300
 - interstitial free fluid, transcapillary, fetal, newborn, pregnant adult (Starling), H843
 - interstitial protein osmotic, transcapillary, fetal, newborn,

- pregnant adult (Starling), H843
 mean arterial, open-loop gain estimation, H832
 mean circulatory filling, hypertension, H487
 measurements, age and sex influences, H62
 overload, sodium-potassium pump, heart muscle, H168
 plasma protein osmotic, transcapillary, fetal, newborn, pregnant adult (Starling), H843
 threshold, carotid sinus baroreceptors, norepinephrine, H650
 transcapillary, fetal, newborn, adult and pregnant adult (Starling), H843
 transmural end-diastolic, continuous positive-pressure ventilation and, ventricular, H821
 venous, hepatic capacitance responses, H18
Pressure-volume area
 ventricular, oxygen consumption regression, cardiac, H320
 ventricular systolic, oxygen consumption, cardiac, H39
Pressure-volume diagram, oxygen consumption, cardiac, H39, H320
Pressure-volume loop, oxygen consumption, cardiac, H320
Pressure-volume relations, continuous positive-pressure ventilation effects, ventricular, H821
Propranolol
 contractility, vascular smooth muscle, H971
 hemorrhage effects (chicken), H9
 injection, adrenoreceptor desensitization after, H691
 pulmonary circulation effects, hypoxia, neonatal (lamb), H697
 renovascular hypertension, indomethacin effects, H533
 tachycardia, carotid chemoreceptors and vagi, H874
Prostaglandin
 acute hypertension, cerebral arterioles, H511
 hypertension, renovascular, H533
 production, pulmonary injury and, endotoxemia, awake state (sheep), H348
 synthesis, platelets, H800
Prostaglandin D₂, circulation and, perinatal (goat, lamb), H755
Prostaglandin E₂, ductus arteriosus, preterm (infant and lamb), H430
Prostaglandin F_{2α}, vasoconstrictor cardiogenic chemoreflex, H528
Prostaglandin I₂
 mediation, renal and cerebral artery relaxation, H247
 release, relaxation of renal and cerebral arteries, H247
Protease, troponin loss, actomyosin, coronary occlusion, H704
Protein
 aortic transmural serum, transport, concentration, time and location effects (dog, human, pig), H54
 concentration, transmural serum transport, aortic (dog, human, pig), H54
 degradation, cathepsin D content, starvation, heart, H222
 liquid, copper deficiency, H185
 location, transmural serum transport, aortic (dog, human, pig), H54
 plasma, osmotic pressure, fetal, newborn, pregnant adult (Starling), H843
 time, transmural serum transport, aortic (dog, human, pig), H54
Protein kinase
 adenosine monophosphate, cyclic, diabetes effects, myocardial, H375
 cardiac relaxation and, H441
Pulmonary arteries
 banding, hypertrophy, right ventricular (pony), H881
 intralobar, adrenergic mechanisms, H274
 pressure, monocrotaline intoxication effects, H149
Pulmonary circulation: see Circulation
Pulmonary hemorrhagic edema: see Edema
Pulmonary injury, prostaglandin production and, endotoxemia, awake state (sheep), H348
Pulmonary pathology, centrogenic, sympathetic outflows, H109
Pulmonary resistance: see Resistance
Pulmonary stretch receptors: see Receptors
Pulmonary vascular bed, hypertension, age and sex influences, H62
Pulmonary vascular compliance: see Compliance
Pulmonary vascular resistance: see Resistance
Pulmonary veins, intralobar, adrenergic mechanisms, H274
Pulmonary vessels, small, monocrotaline effects on medial thickness, H149
Pulsus paradoxus, baroreceptor output, respiratory maneuvers, H721
Pump
 electrogenic, insulin effects, cardiac, H636
 sodium, vascular smooth muscle contractility, H971
 sodium-potassium, resting potential changes, heart muscle, H168
Purkinje fibers
 calcium and sodium effects, strophanthidin inotropy, H561
 conduction velocity, developmental changes, H546
 transmembrane potential, thyroid hormone effects, cardiac, H934
Pyribenzamine, contractility, vascular smooth muscle, H971
Pyrrrolizidine alkaloids, pulmonary structure and function, H149
- Q**
- Quinacrine, injection, adrenoreceptor desensitization after, H691**
- R**
- Racing: see Exercise**
Radioimmunoassay, cathepsin D, starvation, heart, H222
Radiopaque markers, volume measurement, ventricular, H896
Receptors
 α -, pulmonary vascular smooth muscle, H274
 adrenergic, cyclic nucleotides and norepinephrine, cardiac, H630
 α -adrenergic, hypoxia, muscle microcirculation, H746
 β -adrenergic, hypoxic pulmonary circulation, neonatal (lamb), H697
 adrenoreceptors, desensitization, isoproterenol and stress effects, H691
 angiotensin, antagonists, coronary vasoconstriction, H493
 aortic baroreceptors, respiratory maneuvers, H721
 arterial baroreceptors, tachycardia, H874
 atrial, Bainbridge reflex (baboon), H164
 baroreceptors
 angiotensin II pressor response, volume expansion, pregnancy (ewe), H908
 arterial, reflexes, racing (greyhound), H383
 cardiovascular defense, H421
 carotid sinus, increased activity, norepinephrine, H650
 deafferentation, body fluid changes, aortic, H685
 output, respiratory maneuvers, H721
 calcium ion, exercise effects, myocardium, H472
 carotid baroreceptors, respiratory maneuvers, H721
 carotid chemoreceptors, tachycardia and, H874
 muscarinic
 blood flow during activation, coronary, H941
 cyclic nucleotides and norepinephrine, cardiac, H630
 pulmonary stretch, cardiorespiratory interactions (seal), H190
 α -receptors, hypoxic pulmonary circulation, neonatal (lamb), H697
 β -receptors, activation, autonomic nervous system and, H738
Red blood cells: see Erythrocytes
Reflexes
 Bainbridge (baboon), H164
 baroreceptor
 arterial, racing (greyhound), H383
 dominant inhibition, H555
 baroreflexes
 arterial, heart failure, H793
 open-loop gain, H832
 cardioacceleratory, carotid chemoreceptors, H874
 cardioinhibitory, carotid chemoreceptors, H874
 cardiovascular
 capsaicin injection, skeletal muscle, H315
 gastric distension, H539
 chemoreflex, cardiogenic vasoconstrictor, prostaglandin F_{2α}-induced, H528
 contrasting, coronary occlusion, afferent nerves, cardiac, H620
 Hering-Breuer, cardiorespiratory interactions (seal), H190
 sinoaortic, cardiovascular defense, H421
 superior cervical ganglion, carotid sinus distension and, H716
 visceral, gastric distension, H539
Refractoriness, reentrant tachycardia, stability, H947
Refractory periods, atrial, sympathetic neural effects, H590
Regression analysis
 circulatory
 indicator dilution technique, H133
 input and output curves, H133
 normal density curves, H133
 multiple, circulatory transport function,

Regression analysis (*continued*)
H133

Relaxation

cardiac: *see* Muscle, heart
muscle: *see* Muscle

Renal artery

angiotensin-induced relaxation, H247
cardiovascular changes, stenosis, H2
constriction, hypertension, H788
helical strips, angiotensin-induced
relaxation, H247
stenosis, vasopressin, H862

Renal nerves, contrasting reflex effects,
coronary occlusion, H620

Renin

plasma activity

hemorrhage, fetal (sheep), H848
hypertension, renovascular, H533
sodium and angiotensin effects,
hypertension, renovascular, H788
stenosis, renal artery, H2
volume expansion effects, pregnancy
(ewe), H908

release, hypertension, renovascular,
H533

secretion, hypertension, renovascular,
H533

Renin-angiotensin system

hemorrhage response, fetal (sheep),
H848

stenosis, renal artery, H2

Reperfusion

coronary occlusion, myocardium, H399
intracellular recording, ventricular
fibrillation, H465

left ventricular pressure, elevated after,
H300

ventricular tachyarrhythmias, anoxia
effects, H730

Repolarization, atrial, sympathetic
stimulation and, H590

Resistance

coronary

amphiphile effects, H229
increase, obstruction, H262
membrane, insulin effects, cardiac, H636

peripheral

regional sympathetic outflows, H109
total, hemorrhage (chicken), H9

pulmonary, hypoxia, neonatal (lamb),
H697

pulmonary vascular, prostaglandin D₂
effects, H755

vascular

capacitance and, hypothermia, skin
and skeletal muscle, H868
hemorrhage, skeletal muscle (chicken),
H9

peripheral, hypoxic tachycardia, H874

Respiration

lung inflation effects, (seal), H190
maneuvers, baroreceptor output during,
H721

Respiratory stimulation, upper, cigarette
smoke, cardiac contractility, H584

Rhythm, cardiac, sympathetic neural
effects, atrial recovery, H590

RNA polymerase activity, myocardial
hypertrophy, muscle and nonmuscle
cell, H901

S

Saline, hypertonic hypertension,
vasopressin, catecholamines and

plasma volume, H827

Salt

balance, baroreceptor deafferentation,
aortic, H685

loading, hypertension, blood flow, H361

Saralasin

bradykinin potentiation, H255

renin-angiotensin system role,

hemorrhage, fetal (sheep), H848

Sarcolemmal calcium binding: *see* Calcium

Sarcoplasmic reticulum, subcellular
function, hypothermic ischemic
myocardium, H336

Selenium, platelets, H800

Septic shock: *see* Shock

Serotonin, vasoconstrictor cardiogenic
chemoreflex, H528

Sex differences, pulmonary hypertension,
chronic hypoxia, H62

Shock

endotoxic

contractile dysfunction, heart, H954

glucose uptake, skeletal muscle, H342

pressor effect, cerebellum, H368

septic, glucose uptake, skeletal muscle,
H342

Sinoaortic denervation: *see* Denervation

Sinoaortic reflexes: *see* Reflexes

Sinus node, artery perfusion, heart failure,
H793

Sinusoids, blood flow and venous pressure,
hepatic, H18

Skeletal muscle: *see* Muscle, skeletal

Skin, vascular responses, hypothermia,
H868

Smoke, cigarette, cardiac contractility
during, H584

Sodium

contractility, vascular smooth muscle,
H971

depletion, hypertension, renovascular,
H533, H788

hypertension, renovascular, H788

hypertonic load, vasopressin,
catecholamines and plasma volume,
H827

strophanthidin inotropy, Purkinje fibers,
cardiac, H561

Sodium-potassium ATPase

contractility, vascular smooth muscle,
H971

resting potential changes, heart muscle,
H168

Sodium-potassium pump: *see* Pump

Sodium pump: *see* Pump

Solution, high-calcium, strophanthidin
inotropy, Purkinje fibers, H561

Sonomicrometry

cardiac dimensions, transducer, H664

pulse-transit, transducer, H664

Species differences

aortic transmural protein transport, (dog,
human, pig), H54

glucocorticoid effects, ductus arteriosus,
preterm (infant and lamb), H430

sarcolemmal calcium binding,
contractility and, cardiac (rat,
rabbit, frog), H576

Spinal cord, oxygen fields, H761

Splanchnic circulation, regional
sympathetic outflows, H109

Splenectomy, blood volume and oxygen
delivery, exercise, H177

Starvation: *see* Fasting

Stenosis

aortic, contractile function, experimental,
H80

coronary, collateral development effects,
H811

renal artery

cardiovascular changes, H2
vasopressin, H862

Stimulation

carotid sinus baroreceptors,

norepinephrine, H650

sympathetic, atrial repolarization and,
H590

transmural, mesenteric lymphatic
relaxation (bovine), H498

Stomach: *see also* Gastric

distension, reflexes, cardiovascular, H539

Stress, immobilization, adrenoreceptor
desensitization after, H691

Stroke volume, hemorrhage effects
(chicken), H9

Strophanthidin, inotropy, calcium and

sodium effects, cardiac, H561

Subcellular function: *see* specific subject
and site

Subendocardium

blood flow and high-energy phosphates,
left ventricular, H804

left ventricular mechanics, H920

Substrate

exogenous, calcium ion-tolerant
myocytes, heart, H569

structure, function and metabolism

correlates, ischemic heart, H391

Subepicardium, left ventricular mechanics,
H920

Sweat glands, congenital absence,
cutaneous vasodilation, H571

Sympathectomy, cardiac, catecholamine
stores after, H889

Sympathetic constrictor tone,
norepinephrine and tetrodotoxin,
spontaneous hypertension, H837

Sympathetic effects, centrogenic
pulmonary pathology, H109

Sympathetic nerves

afferent: *see* Afferent nerves

atrial recovery properties, cardiac

rhythm, H590

hypothermia, skin and skeletal muscle,
H868

postganglionic, relaxation, transmural
stimulation, H498

Sympathetic outflows, centrogenic
pulmonary pathology, H109

Systole, end, maximal negative dP/dt,
H676

Systolic pressure-diameter, preload
changes, awake state, H354

T

Tachyarrhythmias, ventricular, anoxia
effects, H730

Tachycardia

atrioventricular reentrant, stability of,
H947

hypoxic and cyanide-induced, carotid
chemoreceptors and vagi, H874

vagal, catecholamine stores, H889

Tamponade

acute pericardial

vasodilator effects, H49

volume expansion effects, H49

Taurine, calcium paradox and ischemic
heart failure, H238

- Temperature, hydraulic conductivity, single capillaries, H29
- Temperature, body, regulation, sweat gland absence, H571
- Tension, muscular: *see* Muscle
- Tetrodotoxin
strophanthidin inotropy, Purkinje fibers, H561
- venous membrane potential response, spontaneous hypertension, H837
- ventricular fibrillation, intracellular recording, heart cells, H455
- Thallium
efflux, hyperkalemia and glycoside effects, heart ventricles, H612
- exchange
glycoside effects, heart ventricle, H612
- hyperkalemia effects, heart ventricle, H612
- influx, hyperkalemia and glycoside effects, heart ventricles, H612
- uptake, hyperkalemia and glycoside effects, heart ventricles, H612
- Thermooosis, hydraulic conductivity, single capillaries, H29
- Thoracic aorta: *see* Aorta
- Threshold pressure: *see* Pressure
- Thrombosis, platelet accumulation and release (pig), H99
- Thromboxane A₂, carbocyclic, coronary vasoconstriction, H493
- Thyroid hormone, transmembrane potential and, Purkinje fiber, cardiac, H934
- Thyrototoxicosis, transmembrane potential, cardiac Purkinje fibers, H934
- T index, high-frequency harmonics, cardiac relaxation, H669
- Tissue
cardiac
insulin effects, H636
- stretch-depressed, insulin effects, H636
- norepinephrine, aortic nerve transection, H481
- oxygenation, blood volume changes during exercise, H177
- oxygen tension, spinal cord, H761
- pH, systemic hypoxia, muscle microcirculation, H746
- pressure, transcapillary osmotic flow, heart, H457
- Trace elements: *see* specific subject and site
- Trace metals: *see* Metals
- Training: *see* Exercise
- Transcapillary exchange
lipophilic solutes (frog), H597
- muscle, H199
- Transcapillary filtration: *see* Filtration
- Transcapillary osmotic flow: *see* Flow
- Transcapillary pressure: *see* Pressure
- Transducers
cardiac dimensions, sonomicrometry, H664
- ultrasonic, heart dimension, sonomicrometry, H664
- ultrasonic-dimension, left ventricular regional function, ischemia effects, H413
- Transmembrane potential: *see* Potentials
- Transmural ventricular end-diastolic pressures: *see* Pressure
- Transport: *see* specific subject and site
- Tranylcypromine, angiotensin-induced relaxation, renal and cerebral arteries, H247
- Troponin, loss, actomyosin, coronary occlusion, H704
- Tryamine, catecholamine stores, cardiac, H889
- U
- Ultrasonic transit time, coronary artery diameter, measurement, H73
- Uncoupling, exercise effects, myocardium, H472
- V
- Vagal afferents
activity, lung inflation effects (seal), H190
- contrasting reflex effects, coronary occlusion, H620
- Vagal cold block, left aortic depressor nerve, H555
- Vagus nerve
Bainbridge reflex (baboon), H164
- tachycardia, hypoxic and cyanide-induced, H874
- Vasa vasorum, nourishment, aortic wall, H781
- Vascular hyperresponsiveness, vasopressin, renal artery stenosis, H862
- Vascular reactivity, depression, hyperemia, myocardial, H709
- Vascular reserve, coronary artery vasodilation, H767
- Vascular resistance: *see* Resistance
- Vasoconstriction
coronary, carbocyclic thromboxane A₂-induced, H493
- hypothermia and, skin and skeletal muscle, H868
- Vasoconstrictor
cardiogenic chemoreflex, prostaglandin F_{2α}-induced, H528
- innervation: *see* Innervation
- Vasodilation
arteriolar, acute hypertension, cerebral, H511
- coronary, muscarinic receptor activation, H941
- coronary artery, pharmacologic- vs. ischemia-induced, H767
- cutaneous, absence of sweat glands, H571
- hypothermia and, skin and skeletal muscle, H868
- Vasodilator
acute pericardial tamponade, H49
- innervation: *see* Innervation
- metabolites: *see* Metabolites
- Vasomotor reaction, regional sympathetic outflows, H109
- Vasopressin
antagonists, hypertonic saline-induced hypertension, H827
- hypertension, hypertonic saline-induced, H827
- pressor response to, renal artery stenosis, H862
- Vasopressor hormones, hypothermia, skin and skeletal muscle, H868
- Vasospasm, coronary vasoconstriction, H493
- Venoarteriolar response, capacitance, hepatic, H18
- Venoconstriction, capacitance response, hepatic, H18
- Venous capacity, decreased, hypertension, H487
- Venous compliance: *see* Compliance
- Venous congestion, local, arterial blood flow, hand, H980
- Venous distention, local, arterial blood flow, hand, H980
- Venous membrane potential: *see* Potentials
- Venous pressure: *see* Pressure
- Ventilation
continuous positive-pressure, ventricular pressure-volume relations and, H821
- controlled, hypoxia, carotid chemoreceptors and vagi, H874
- Ventricles: *see* Heart ventricles
- Verapamil
cardioplegia, ischemic arrest, H326
- coronary vasoconstriction, H493
- reentrant tachycardia, stability, H947
- tachyarrhythmias, ventricular, anoxia and, H730
- ventricular fibrillation, intracellular recording, heart cells, H465
- Visceral reflexes: *see* Reflexes
- Volume
end-diastolic, continuous positive pressure ventilation and, ventricular, H821
- left ventricular, subendocardium and subepicardium, H920
- measurement, radiopaque markers, ventricular, H896
- noninvasive measurement, radiopaque markers, ventricular, H896
- plasma, hypertonic saline-induced hypertension, H827
- Volume expansion
acute pericardial tamponade, H49
- angiotensin II pressor response and nonpregnant (ewe), H908
- pregnancy (ewe), H908
- Volume loading, systolic pressure-diameter relations, awake state, H354
- Volume regulation
mechanical performance, myocardial, after ischemic arrest, H116
- myocardial
hypothermic ischemic arrest, H116
- normothermic ischemic arrest, H116
- W
- Water, balance, baroreceptor deafferentation, aortic, H685
- Waves, digitalized, relaxation indices, cardiac, H669
- Work
cardiac: *see* Heart
- external mechanical: *see* Exercise

Author Index to Volume 9

- Abel, F. L., H676
 Abelman, W. H., H116
 Abendschein, D. R., H821
 Adams, G. A., H99
 Adams, H. R., H954
 Akiyama, T., H465
 Albertini, R., H421
 Allard, J. R., H126
 Allenby, P., H222
 Anand, A., H721
 Anderson, R. W., H413
 Angell-James, J. E., H190
 Angel, M., H441
 Armstrong, M. L., H781
 Avventi, G. L., H800
- Baccelli, G., H421
 Bagby, G. J., H659
 Bagshaw, R. J., H383
 Báguena, J., H669
 Baldwin, K. M., H472
 Barnard, R. J., H472
 Barnes, C. D., H368
 Bauer, B. J., H664
 Bennett, T. D., H18
 Bergmann, S. R., H229
 Berkich, D. A., H606
 Bers, D. M., H576
 Bhattacharyya, M. L., H561
 Bing, O. H. L., H116
 Bisgard, G. E., H881
 Bishop, V. S., H709
 Blackshear, G. L., H448, H457
 Bonaccorso, G., H800
 Bonadiman, L., H800
 Bove, A. A., H896
 Brace, R. A., H843
 Braunwald, E., H399
 Brazeau, P., H505
 Breisch, E. A., H168
 Brengelmann, G. L., H571
 Britton, S. L., H914
 Brooks, H. L., H767
 Brotherton, S., H855
 Brunner, H., H225
 Brunner, H. R., H827
 Buck, J. D., H941
 Buckley, N. M., H505
 Bullard, V., H881
 Bumpus, F. M., H408
 Burns, A. H., H659
 Busija, D. W., H775
- Caillet, D., H354
 Carabello, B. A., H80
 Carbonin, P., H730
 Carey, R., H168, H896
 Carlson, C. J., H821
 Cassin, S., H755
 Chen, H. I., H109
 Chevrier, J.-L., H354
 Chiappe, L., H441
 Chovan, J. P., H238
 Christian, J. L., H843
 Cingolani, H. E., H441
 Ciriello, J., H481
 Coceani, F., H697
- Cohen, M. V., H811
 Collins, J. J., Jr., H80
 Conhaim, R. L., H126
 Contney, S. J., H837
 Costin, J., H669
 Coulson, R. L., H168
 Cox, R. H., H383
 Crayton, S. C., H315
 Crozatier, B., H354
 Cugali, N., H472
 Curro, C. A., H274
 Curry, F. E., H29, H597
 Cutilletta, A. F., H901
- Daggett, W. M., H87
 Dail, W. G., H889
 Daly, M. de B., H190
 Danos, L. M., H620
 Darsee, J. R., H399
 Davis, C., H855
 Davis, J. O., H533, H788
 DeForrest, J. M., H533, H788
 Del Bo, A., H421
 Demling, R. H., H348
 Detar, R., H971
 Detweiler, D. K., H383
 Dietrich, W. D., H511
 Dietz, J. R., H533
 Di Gennaro, M., H730
 Dole, W. P., H709
 Donald, D. E., H555
 Doni, M. G., H800
- Eberhart, R., H855
 Echtenkamp, S. F., H533
 Edwards, C. H., II, H413
 Ellis, E. F., H511
 Elsner, R., H190
 Elson, J. J., H738
 Emerson, T. E., Jr., H342
 Entman, M. L., H326
- Ferguson, A. G., H222
 Ferguson, T. B., Jr., H229
 Ferrier, G. R., H636
 Feuerstein, I. A., H99
 Feuvray, D., H391
 Fewell, J. E., H821
 Fink, G. D., H685
 Fishman, A. P., H681
 Fitzgerald, R. S., H721
 Flaherty, J. T., H300
 Flynn, J. T., H348
 Fowler, B. N., H87
 Fowler, W. L., Jr., H2, H862
 Franklin, D., H293
 Frasier, I. D., H505
 Frederiksen, J. V., H300
 Freeman, A. R., H168, H934
 Freeman, R. H., H533, H788
 Freund, P. R., H571
 Frisinger, J., H755
 Frohlich, E. D., H487
 Fry, D. L., H54, H645
- Gamble, W. J., H62
 Gant, N. F., Jr., H908
 Garwood, M., H761
 Gascho, J. A., H49
 Gavras, H., H225, H827,
 Gavras, I., H827
 Gee, M. H., H348
 Gerlach, E., H963
 Ghatak, N. R., H511
 Ghodsi, F., H49
 Gibbs, C., H755
 Gillette, P. C., H326
 Gimeno, J. V., H669
 Glaviano, V. V., H630
 Goldman, P., H33
 Goldman, R. A., H300
 Goodrich, D., H896
 Gootman, P. M., H505
 Gott, V. L., H300
 Gourley, J. K., H775
 Grassi, A., H441
 Greenberg, S., H274
 Greenfield, L. J., H336
 Gross, G. J., H767, H941
 Grossman, W., H80
 Gunther, R., H348
 Gupta, P. D., H874
- Hara, H., H326
 Harder, D. R., H837
 Harkema, J. M., H342
 Harris, P. D., H746
 Harris, T. R., H262
 Hartley, C. J., H326
 Hatt, P.-Y., H354
 Hatzinikolaou, P., H827
 Hayashi, T., H39, H320
 Heistad, D. D., H775, H781
 Heller, L. J., H927
 Hess, M. L., H336
 Heymann, M. A., H45
 Hillis, L. D., H855
 Hirata, F., H691
 Hisano, R., H320
 Hoffman, J. I. E., H126
 Honig, C. R., H199
 Hosomi, H., H832
 Houser, S. R., H168, H934
 Hyman, A., H274
- Ichikawa, S., H862
 Ingebretsen, C. G., H375
 Ingebretsen, W. R., Jr., H375
 Iwamoto, H. S., H848
 Izquierdo, C., H855
- Jacobs, M. L., H87
 Jaeger, J. M., H168, H934
 Janassen, H. F., H368
 Johnson, J. A., H2, H862
 Jones, M. D., Jr., H209
 Jordan, J., H755
- Kadowitz, P. J., H274
 Kemper, W. S., H293
- Kerber, R. E., H49
 Kikuchi, Y., H73
 Kleinert, H. D., H804
 Klevay, L. M., H185
 Kline, R. L., H481
 Kloner, R. A., H80, H399
 Kontos, H. A., H511
 Kopin, I. J., H691
 Kralios, F. A., H590
 Kramer, J. H., H238
 Krating, K. K., H571
 Krause, S. M., H336
 Krivokapich, J., H612
 Kurz, K. D., H2, H862
- LaManna, V. R., H636
 Langer, G. A., H576
 Larsen, G. E., H781
 Lefer, A. M., H493
 Legato, M. J., H546
 Lesch, M., H222
 Levin, D., H80
 Levy, B. I., H980
 Lewis, R. M., H326
 Liao, J. F., H109
 Liard, J. F., H361
 Limas, C., H33
 Limas, C. J., H33
 Lin, J. D., H109
 Ling, D., H413
 Lock, J. E., H697
 Löffelholz, K., H431
 Longhurst, J. C., H539
 Lorell, B. H., H87
 Lutherer, L. O., H368
- MacPhee, A. A., H487
 Mahley, R. W., H54, H645
 Major, T. C., H868
 Mancina, G., H421
 Manohar, M., H881
 Marcus, M. L., H49, H775, H781
 Martin, G., H669
 Martineaud, J. P., H980
 Martins, J. B., H49
 Marzilli, M., H920
 Matsuura, S., H908
 McCleary, M., H716
 McHale, P. A., H413
 McMillin-Wood, J. B., H326
 Meckler, R. L., H620
 Mee, R., H80
 Melcher, A., H555
 Miettinen, O. S., H62
 Millar, C. K., H590
 Millard, R. W., H308
 Miller, F. N., H746
 Mitchell, J. H., H315
 Miyazaki, M., H247
 Molteni, R. A., H209
 Monsher, M., H375
 Montini, J., H659
 Montville, W. J., H709
 Moore, E. N., H947
 Morff, R. J., H746
 Murray, J. F., H821

Naden, R. P., H908
 Nakai, M., H133
 Nakamura, M., H73
 Navari, R. M., H511
 Neely, J. R., H606
 Newell, J. B., H87
 Nicolaou, K. C., H493
 Nishi, K., H650

O'Brien, W. J., H889
 Odoroff, C. L., H199
 Oehl, R. S., H620
 Ogunro, E. A., H222
 Oh, S. Y., H54, H645
 Ohhashi, T., H498
 Olerud, J. E., H571
 Oliva, Y., H980
 Olley, P. M., H697
 Olsen, C. O., H664
 O'Neill, M. J., H126
 Ootsubo, H., H73
 Ordway, G. A., H539
 Overholser, K. A., H262

Palacios, I., H87
 Parker, J. L., H954
 Parker, R. E., H528
 Parkers, C. R., Jr., H908
 Patel, K. P., H481
 Patterson, J. L., Jr., H511
 Payne, C. G., H2, H862
 Payne, F. C., III, H315
 Peralta, C., H375
 Peronneau, P., H354
 Peterson, D. F., H584
 Philips, J., H755
 Philipson, K. D., H576
 Pindok, M. T., H630
 Pine, M. B., H116
 Pinsky, W. W., H326
 Ploucha, J. M., H9
 Povlishock, J. T., H511
 Priola, D. V., H889

Rabinovitch, M., H62
 Ramirez, A., H669
 Rankin, J. H. G., H881
 Rankin, J. S., H413, H664
 Rapaport, E., H821
 Raymond, R. M., H342
 Reed, J. C., H156
 Reibel, D. K., H606
 Reid, L., H62
 Reneman, R. S., H286
 Ringer, R. K., H9
 Roan, P. G., H855
 Robbins, A. D., H336
 Roberts, N. K., H472
 Robledo, D. O., H584
 Robotham, J. L., H721
 Roddie, I. C., H498
 Rosen, M. R., H546
 Rosenfeld, C. R., H908
 Ross, J., Jr., H293, H704
 Rothe, C. F., H18
 Rouslin, W., H308
 Rowe, B. P., H788
 Rowell, L. B., H571
 Rudolph, A. M., H45, H848

Sabbah, H. N., H920
 Saeki, Y., H216
 Sakai, K., H73
 Samarel, A. M., H222
 Santamore, W. P., H896
 Sarelius, I. H., H177
 Sasayama, S., H293
 Schaff, H. V., H300
 Schaffer, S. W., H238
 Schrader, J., H963
 Schütz, W., H963
 Schwinghamer, J. M., H868
 Scott, J. B., H9
 Sen, S., H408
 Seymour, A. A., H533, H788
 Shibata, T., H216
 Shine, K. I., H612
 Shiozawa, K., H216

Shirahata, M., H39, H320
 Silverman, N. H., H45
 Simmons, M. A., H209
 Simpson, W. W., H889
 Simson, M. B., H947
 Sinclair, J. D., H177
 Singer, D. H., H738
 Singh, M., H874
 Siripaisarnpipat, S., H2
 Skaug, N., H971
 Skinner, J. E., H156
 Smith, E. F., III, H493
 Smith, M., H348
 Sobel, B. E., H229
 Spann, J. F., Jr., H168, H934
 Spear, J. F., H947
 Spilker, H. L., H539
 Spitzer, J. J., H659
 Stein, P. D., H920
 Stekiel, W. J., H837
 Stephens, G. A., H788
 Stiles, R. G., H262
 Stokes, B. T., H761
 Strandhoy, J. W., H528
 Suehiro, S., H320
 Suga, H., H39, H320
 Sukowski, E., H630
 Swyt, C. R., H54

Tarazi, R. C., H408
 Ten Eick, R. E., H738
 Textor, S. C., H255
 Thuillez, C., H354
 Tibbits, G. F., H472
 Tod, M., H755
 Toda, N., H247
 Tomoike, H., H73
 Tomomatsu, E., H650
 Torda, T., H691
 Toubas, P. L., H45
 Toyoo-Oka, T., H704
 Traystman, R. J., H209
 Trippodo, N. C., H487

Tuttle, R. S., H716

Valle, R., H730
 Van Steenhoven, A. A., H286
 Van Tright, P., III, H664
 Vargas, F. F., H448, H457
 Vassalle, M., H561
 Vatner, S. F., H164
 Veenstra, P. C., H286
 Verlaan, C. W. J., H286
 Viestenz, K. E., H185
 Vittone, L., H441
 Vlahakes, G. J., H126

Wagner, L. K., H375
 Walgenbach, S. C., H555
 Walters, P., H761
 Warltier, D. C., H767, H941
 Weaver, L. C., H620
 Wechsler, A. S., H664
 Wei, E. P., H511
 Weintraub, R. M., H116
 Weiss, H. R., H804
 Weiss, R. M., H546
 Weisz, A. M., H730
 Werber, A. H., H685
 White, C. W., H793
 Wiegman, D. L., H746
 Will, J. A., H149
 Willems, W. J., H837
 Willerson, J. T., H855
 Williams, G. M., H788
 Winston, S., H868
 Wyse, B. W., H606

Yamaguchi, I., H691
 Yamamoto, J., H487
 Yipintsoi, T., H811
 Yokoyama, K., H832

Zanchetti, A., H421
 Zimpfer, M., H164



American Journal of Physiology: Heart and Circulatory Physiology

No. 1. JANUARY 1981

EDITORIAL

H1

-
- Cardiovascular changes within 24 h after renal artery stenosis in rabbits
S. Siripaisarnpipat, J. A. Johnson, K. D. Kurz, W. L. Fowler, Jr., and C. G. Payne H2
- Vascular and hematologic effects of hemorrhage in the chicken
J. M. Ploucha, J. B. Scott, and R. K. Ringer H9
- Hepatic capacitance responses to changes in flow and hepatic venous pressure in dogs
T. D. Bennett and C. F. Rothe H18
- Effects of temperature on hydraulic conductivity of single capillaries
F. E. Curry H29
- Aortic phospholipid deacylation-reacylation cycle in spontaneously hypertensive rats
C. Limas, P. Goldman, and C. J. Limas H33
- Ventricular systolic pressure-volume area as predictor of cardiac oxygen consumption
H. Suga, T. Hayashi, and M. Shirahata H39
- Cardiovascular effects of acute hemorrhage in fetal lambs
P. L. Toubas, N. H. Silverman, M. A. Heymann, and A. M. Rudolph H45
- Effects of volume expansion and vasodilators in acute pericardial tamponade
J. A. Gascho, J. B. Martins, M. L. Marcus, and R. E. Kerber H49
- Aortic transmural serum protein transport: effect of concentration, time, and location
D. L. Fry, R. W. Mahley, S. Y. Oh, and C. R. Swyt H54
- Age and sex influence on pulmonary hypertension of chronic hypoxia and on recovery
M. Rabinovitch, W. J. Gamble, O. S. Miettinen, and L. Reid H62
- Continuous measurement of coronary artery diameter in situ
H. Tomoike, H. Ootsubo, K. Sakai, Y. Kikuchi, and M. Nakamura H73
- Contractile function in chronic gradually developing subcoronary aortic stenosis
B. A. Carabello, R. Mee, J. J. Collins, Jr., R. A. Kloner, D. Levin, and W. Grossman H80
- Right ventricular distension and left ventricular compliance
B. H. Lorell, I. Palacios, W. M. Daggett, M. L. Jacobs, B. N. Fowler, and J. B. Newell H87
- Platelet adhesion and release: interfacial concentration of released materials
G. A. Adams and I. A. Feuerstein H99
- Participation of regional sympathetic outflows in the centrogenic pulmonary pathology
H. I. Chen, J. D. Lin, and J. F. Liao H109
- Myocardial volume regulation after normothermic and hypothermic ischemic arrest in dogs
M. B. Pine, O. H. L. Bing, R. M. Weintraub, and W. H. Abelmann H116
-

SPECIAL COMMUNICATIONS

- Rapid-freezing transmural cardiac biopsy drill
J. R. Allard, R. L. Conhaim, G. J. Vlahakes, M. J. O'Neill, and J. I. E. Hoffman H126
- Computation of transport function using multiple regression analysis
M. Nakai H133
-

LETTERS TO THE EDITOR

H145

ANNOUNCEMENTS

H148

No. 2. FEBRUARY 1981

Changes in pulmonary structure and function induced by monocrotaline intoxication <i>F. Ghodsi and J. A. Will</i>	H149
Blockade of frontocortical-brain stem pathway prevents ventricular fibrillation of ischemic heart <i>J. E. Skinner and J. C. Reed</i>	H156
Bainbridge reflex in conscious, unrestrained, and tranquilized baboons <i>S. F. Vatner and M. Zimpfer</i>	H164
Resting potential changes associated with Na-K pump in failing heart muscle <i>S. R. Houser, A. R. Freeman, J. M. Jaeger, E. A. Breisch, R. L. Coulson, R. Carey, and J. F. Spann</i>	H168
Effects of small changes of blood volume on oxygen delivery and tissue oxygenation <i>I. H. Sarelius and J. D. Sinclair</i>	H177
Abnormal electrocardiograms in rats deficient in copper <i>L. M. Klevay and K. E. Viestenz</i>	H185
Lung inflation: effects on heart rate, respiration, and vagal afferent activity in seals <i>J. E. Angell-James, R. Elsner, and M. De Burgh Daly</i>	H190
Calculated dispersion of capillary transit times: significance for oxygen exchange <i>C. R. Honig and C. L. Odoroff</i>	H199
Effects of changes in arterial O ₂ content on cerebral blood flow in the lamb <i>M. D. Jones, Jr., R. J. Traystman, M. A. Simmons, and R. A. Molteni</i>	H209
Excitation-contraction coupling in mammalian cardiac muscle during Ba ²⁺ -induced contracture <i>Y. Saeki, T. Shibata, and K. Shiozawa</i>	H216
Rabbit cardiac immunoreactive cathepsin D content during starvation-induced atrophy <i>A. M. Samarel, E. A. Ogunro, A. G. Ferguson, P. Allenby, and M. Lesch</i>	H222
Effects of amphiphiles on erythrocytes, coronary arteries, and perfused hearts <i>S. R. Bergmann, T. B. Ferguson, Jr., and B. E. Sobel</i>	H229
Effect of taurine on calcium paradox and ischemic heart failure <i>J. H. Kramer, J. P. Chovan, and S. W. Schaffer</i>	H238
Angiotensin-induced relaxation in isolated dog renal and cerebral arteries <i>N. Toda and M. Miyazaki</i>	H247
Evidence for bradykinin potentiation by angiotensin congeners in conscious rats <i>S. C. Textor, H. Brunner, and H. Gavras</i>	H255
Concurrent increases in resistance and transport after coronary obstruction in dogs <i>T. R. Harris, K. A. Overholser, and R. G. Stiles</i>	H262
Adrenergic mechanisms in canine intralobar pulmonary arteries and veins <i>S. Greenberg, P. J. Kadowitz, A. Hyman, and F. A. Curro</i>	H274
In vivo cinematographic analysis of behavior of the aortic valve <i>A. A. Van Steenhoven, C. W. J. Verlaan, P. C. Veenstra, and R. S. Reneman</i>	H286
Regional left ventricular wall thickness early and late after coronary occlusion in the conscious dog <i>S. Sasayama, K. P. Gallagher, W. S. Kemper, D. Franklin, and J. Ross, Jr.</i>	H293
Mechanism of elevated left ventricular end-diastolic pressure after ischemic arrest and reperfusion <i>H. V. Schaff, V. L. Gott, R. A. Goldman, J. V. Frederiksen, and J. T. Flaherty</i>	H300
Mitochondrial inner membrane enzyme defects in porcine myocardial ischemia <i>W. Rouslin and R. W. Millard</i>	H308

ANNOUNCEMENTS

H314

No. 3. MARCH 1981

Reflex cardiovascular response during injection of capsaicin into skeletal muscle <i>S. C. Crayton, J. H. Mitchell, and F. C. Payne III</i>	H315
--	------

Regression of cardiac oxygen consumption on ventricular pressure-volume area in dog <i>H. Suga, T. Hayashi, M. Shirahata, S. Suehiro, and R. Hisano</i>	H320
Myocardial protection from ischemic arrest: potassium and verapamil cardioplegia <i>W. W. Pinsky, R. M. Lewis, J. B. McMillin-Wood, H. Hara, C. J. Hartley, P. C. Gillette, and M. L. Entman</i>	H326
Excitation-contraction coupling in hypothermic ischemic myocardium <i>M. L. Hess, S. M. Krause, A. D. Robbins, and L. J. Greenfield</i>	H336
Direct effects of gram-negative endotoxin on skeletal muscle glucose uptake <i>R. M. Raymond, J. M. Harkema, and T. E. Emerson, Jr.</i>	H342
Pulmonary injury and prostaglandin production during endotoxemia in conscious sheep <i>R. H. Demling, M. Smith, R. Gunther, J. T. Flynn, and M. H. Gee</i>	H348
Preload changes modify systolic pressure-diameter relations in the conscious dog <i>B. Crozatier, D. Caillet, C. Thuillez, J.-L. Chevrier, P. Peronneau, and P.-Y. Hatt</i>	H354
Regional blood flows in salt loading hypertension in the dog <i>J. F. Liard</i>	H361
An observed pressor effect of the cerebellum during endotoxin shock in the dog <i>H. F. Janssen, L. O. Lutherer, and C. D. Barnes</i>	H368
Diabetes alters the myocardial cAMP-protein kinase cascade system <i>W. R. Ingebreetsen, Jr., C. Peralta, M. Monsher, L. K. Wagner, and C. G. Ingebreetsen</i>	H375
Arterial baroreceptor reflexes in young and old racing greyhounds <i>R. H. Cox, R. J. Bagshaw, and D. K. Detweiler</i>	H383
Structural, functional, and metabolic correlates in ischemic hearts: effects of substrates <i>D. Feuvray</i>	H391
Time course of regional function after coronary occlusions of 1- to 120-min duration <i>J. R. Darsee, R. A. Kloner, and E. Braunwald</i>	H399
Reversal of cardiac hypertrophy in renal hypertensive rats: medical vs. surgical therapy <i>S. Sen, R. C. Tarazi, and F. M. Bumpus</i>	H408
Effects of ischemia on left ventricular regional function in the conscious dog <i>C. H. Edwards II, J. S. Rankin, P. A. McHale, D. Ling, and R. W. Anderson</i>	H413
Role of sinoaortic reflexes in hemodynamic patterns of natural defense behaviors in the cat <i>G. Baccelli, R. Albertini, A. Del Bo, G. Mancina, and A. Zanchetti</i>	H421
ANNOUNCEMENTS	H430

No. 4. APRIL 1981

REVIEW: NEURAL CONTROL OF THE HEART

Release of acetylcholine in the isolated heart <i>K. Löffelholz</i>	H431
Relaxing effect of pharmacologic interventions increasing cAMP in rat heart <i>L. Vittone, A. Grassi, L. Chiappe, M. Argel, and H. E. Cingolani</i>	H441
Transcapillary osmotic flows in the in vitro perfused heart <i>F. F. Vargas and G. L. Blackshear</i>	H448
Secondary driving forces affecting transcapillary osmotic flows in perfused heart <i>F. F. Vargas and G. L. Blackshear</i>	H457
Intracellular recording of in situ ventricular cells during ventricular fibrillation <i>T. Akiyama</i>	H465

Influence of exercise on excitation-contraction coupling in rat myocardium <i>G. F. Tibbitts, R. J. Barnard, K. M. Baldwin, N. Cugali, and N. K. Roberts</i>	H472
Noradrenergic mechanisms in brain and peripheral organs after aortic nerve transection <i>K. P. Patel, J. Ciriello, and R. L. Kline</i>	H481
Decreased total venous capacity in Goldblatt hypertensive rats <i>J. Yamamoto, N. C. Trippodo, A. A. MacPhee, and E. D. Frohlich</i>	H487
Mechanism of coronary vasoconstriction induced by carbocyclic thromboxane A ₂ <i>E. F. Smith III, A. M. Lefer, and K. C. Nicolaou</i>	H493
Relaxation of bovine mesenteric lymphatics in response to transmural stimulation <i>T. Ohhashi and I. C. Roddie</i>	H498
Femoral circulatory responses to lumbar nerve stimulation in developing swine <i>N. M. Buckley, P. Brazeau, I. D. Frasier, and P. M. Gootman</i>	H505
Mechanism of cerebral arteriolar abnormalities after acute hypertension <i>H. A. Kontos, E. P. Wei, W. D. Dietrich, R. M. Navari, J. T. Povlishock, N. R. Ghatak, E. F. Ellis, and J. L. Patterson, Jr.</i>	H511
A vasoconstrictor cardiogenic chemoreflex induced by prostaglandin F _{2α} <i>R. E. Parker and J. W. Strandhoy</i>	H528
Effects of indomethacin in dogs with acute and chronic renovascular hypertension <i>J. R. Dietz, J. O. Davis, J. M. DeForrest, R. H. Freeman, S. F. Echtenkamp, and A. A. Seymour</i>	H533
Cardiovascular reflexes elicited by passive gastric distension in anesthetized cats <i>J. C. Longhurst, H. L. Spilker, and G. A. Ordway</i>	H539
Developmental changes in impulse conduction in the canine heart <i>M. R. Rosen, M. J. Legato, and R. M. Weiss</i>	H546
Inhibition of carotid pressor response by left aortic depressor nerve in dogs <i>S. C. Walgenbach, D. E. Donald, and A. Melcher</i>	H555
Role of calcium and sodium in strophanthidin inotropy in cardiac Purkinje fibers <i>M. L. Bhattacharyya and M. Vassalle</i>	H561
Absence of active cutaneous vasodilation associated with congenital absence of sweat glands in humans <i>G. L. Brengelmann, P. R. Freund, L. B. Rowell, J. E. Olerud, and K. K. Kranning</i>	H571
Cardiac contractility and sarcolemmal calcium binding in several cardiac muscle preparations <i>D. M. Bers, K. D. Philipson, and G. A. Langer</i>	H576
Reduction in cardiac contractility during upper respiratory stimulation with cigarette smoke <i>D. O. Robleto and D. F. Peterson</i>	H584
Sympathetic neural effects on regional atrial recovery properties and cardiac rhythm <i>F. A. Kralios and C. K. Millar</i>	H590
Antipyrine and aminopyrine permeability of individually perfused frog capillaries <i>F. E. Curry</i>	H597
Regulation of coenzyme A synthesis in heart muscle: effects of diabetes and fasting <i>D. K. Reibel, B. W. Wyse, D. A. Berkich, and J. R. Neely</i>	H606
Effects of hyperkalemia and glycoside on thallium exchange in rabbit ventricle <i>J. Krivokapich and K. I. Shine</i>	H612
Contrasting reflex influences of cardiac afferent nerves during coronary occlusion <i>L. C. Weaver, L. M. Danos, R. S. Oehl, and R. L. Meckler</i>	H620
Cardiac cyclic nucleotides and norepinephrine during neural sympathetic stimulation <i>M. T. Pindok, E. Sukowski, and V. V. Glaviano</i>	H630
Electrophysiological effects of insulin on normal and depressed cardiac tissues <i>V. R. LaManna and G. R. Ferrier</i>	H636
Effect of arterial stretch on transmural albumin and Evan's blue dye transport <i>D. L. Fry, R. W. Mahley, and S. Y. Oh</i>	H645
Increased activity of carotid sinus baroreceptors by sympathetic stimulation and norepinephrine <i>E. Tomomatsu and K. Nishi</i>	H650

SPECIAL COMMUNICATIONS

Exogenous substrate utilization in Ca^{2+} -tolerant myocytes from adult rat hearts <i>J. Montini, G. J. Bagby, A. H. Burns, and J. J. Spitzer</i>	H659
An improved transducer for measurement of cardiac dimensions with sonomicrometry <i>P. Van Tright III, B. J. Bauer, C. O. Olsen, J. S. Rankin, and A. S. Wechsler</i>	H664
Effects of high-frequency harmonics on cardiac relaxation indices <i>G. Martín, J. V. Gimeno, A. Ramirez, J. Cosín, and J. Báguena</i>	H669
Maximal negative dP/dt as an indicator of end of systole <i>F. L. Abel</i>	H676
<hr/>	
Hail and farewell <i>A. P. Fishman</i>	H681
<hr/>	
Cardiovascular and body fluid changes after aortic baroreceptor deafferentation <i>A. H. Werber and G. D. Fink</i>	H685
Adrenoceptor desensitization after immobilization stress or repeated injection of isoproterenol <i>I. Yamaguchi, T. Torda, F. Hirata, and I. J. Kopin</i>	H691
Enhanced β -adrenergic-receptor responsiveness in hypoxic neonatal pulmonary circulation <i>J. E. Lock, P. M. Olley, and F. Coceani</i>	H697
Ca^{2+} sensitivity change and troponin loss in cardiac natural actomyosin after coronary occlusion <i>T. Toyo-Oka and J. Ross, Jr.</i>	H704
Dependency of myocardial reactive hyperemia on coronary artery pressure in the dog <i>W. P. Dole, W. J. Montville, and V. S. Bishop</i>	H709
Carotid sinus distension and superior cervical ganglion transmission <i>R. S. Tuttle and M. McCleary</i>	H716
Baroreceptor output during normal and obstructed breathing and Mueller maneuvers <i>R. S. Fitzgerald, J. L. Robotham, and A. Anand</i>	H721
Inhibitory effect of anoxia on reperfusion- and digitalis-induced ventricular tachyarrhythmias <i>P. Carbonin, M. Di Gennaro, R. Valle, and A. M. Weisz</i>	H730
Autonomic nervous system and cellular injury from circumflex ligation in dogs <i>J. J. Elson, R. E. Ten Eick, and D. H. Singer</i>	H738
Muscle microcirculation: effects of tissue pH, PCO_2 , and PO_2 during systemic hypoxia <i>R. J. Morff, P. D. Harris, D. L. Wiegman, and F. N. Miller</i>	H746
Effects of prostaglandin D_2 on perinatal circulation <i>S. Cassin, M. Tod, J. Philips, J. Frisinger, J. Jordan, and C. Gibbs</i>	H755
Oxygen fields in specific spinal loci of the canine spinal cord <i>B. T. Stokes, M. Garwood, and P. Walters</i>	H761
Pharmacologic- vs. ischemia-induced coronary artery vasodilation <i>D. C. Warltier, G. J. Gross, and H. L. Brooks</i>	H767
Effect of adenosine and dipyridamole on cerebral blood flow <i>D. D. Heistad, M. L. Marcus, J. K. Gourley, and D. W. Busija</i>	H775
Role of vasa vasorum in nourishment of the aortic wall <i>D. D. Heistad, M. L. Marcus, G. E. Larsen, and M. L. Armstrong</i>	H781
Sodium and angiotensin in the pathogenesis of experimental renovascular hypertension <i>A. A. Seymour, J. O. Davis, R. H. Freeman, J. M. DeForrest, B. P. Rowe, G. A. Stephens, and G. M. Williams</i>	H788
Abnormalities in baroreflex control of heart rate in canine heart failure <i>C. W. White</i>	H793
Glutathione peroxidase, selenium, and prostaglandin synthesis in platelets <i>M. G. Doni, G. L. Auventi, L. Bonadiman, and G. Bonaccorso</i>	H800

No. 5. MAY 1981

Blood flow and high-energy phosphates in microregions of left ventricular subendocardium <i>H. D. Kleinert and H. R. Weiss</i>	H804
Restoration of cardiac function and myocardial flow by collateral development in dogs <i>M. V. Cohen and T. Yipintsoi</i>	H811

ANNOUNCEMENTS	H820
----------------------	------

No. 6. JUNE 1981

Continuous positive-pressure ventilation does not alter ventricular pressure-volume relationship <i>J. E. Fewell, D. R. Abendschein, C. J. Carlson, E. Rapaport, and J. F. Murray</i>	H821
Role of vasopressin, catecholamines, and plasma volume in hypertonic saline-induced hypertension <i>P. Hatzinikolaou, H. Gavras, H. R. Brunner, and I. Gavras</i>	H827
Estimation of open-loop gain of canine arterial pressure control system by a new method <i>H. Hosomi and K. Yokoyama</i>	H832
Norepinephrine effect on in situ venous membrane potential in spontaneously hypertensive rats <i>D. R. Harder, S. J. Contney, W. J. Willems, and W. J. Stekiel</i>	H837
Transcapillary Starling pressures in the fetus, newborn, adult, and pregnant adult <i>R. A. Brace and J. L. Christian</i>	H843
Role of renin-angiotensin system in response to hemorrhage in fetal sheep <i>H. S. Iwamoto and A. M. Rudolph</i>	H848
Effect of various degrees of systemic arterial hypertension on acute canine myocardial ischemia <i>L. D. Hillis, C. Izquierdo, C. Davis, S. Brotherton, R. Eberhart, P. G. Roan, and J. T. Willerson</i>	H855
Pressor responses to vasopressin in rabbits with 3-day renal artery stenosis <i>J. A. Johnson, S. Ichikawa, K. D. Kurz, W. L. Fowler, Jr., and C. G. Payne</i>	H862
Cutaneous and skeletal muscle vascular responses to hypothermia <i>T. C. Major, J. M. Schwinghamer, and S. Winston</i>	H868
Carotid chemoreceptors and vagi in hypoxic and cyanide-induced tachycardia in the dog <i>P. D. Gupta and M. Singh</i>	H874
Blood flow in the hypertrophied right ventricular myocardium of unanesthetized ponies <i>M. Manohar, G. E. Bisgard, V. Bullard, and J. H. G. Rankin</i>	H881
Cardiac catecholamine stores after cardiac sympathectomy, 6-OHDA, and cardiac denervation <i>D. V. Priola, W. J. O'Brien, W. G. Dail, and W. W. Simpson</i>	H889
Measurement of left and right ventricular volume from implanted radiopaque markers <i>W. P. Santamore, R. Carey, D. Goodrich, and A. A. Bove</i>	H896
Muscle and nonmuscle cell RNA polymerase activities in early myocardial hypertrophy <i>A. F. Cutilletta</i>	H901
Effect of volume expansion on pressor response to angiotensin II in pregnant ewes <i>S. Matsuura, R. P. Naden, N. F. Gant, Jr., C. R. Parkers, Jr., and C. R. Rosenfeld</i>	H908
Intrarenal vascular effects of angiotensin I and angiotensin II <i>S. L. Britton</i>	H914
The relative role of subendocardium and subepicardium in left ventricular mechanics <i>H. N. Sabbah, M. Marzilli, and P. D. Stein</i>	H920
Isovolumetric properties of ventricles of spontaneously hypertensive rats <i>L. J. Heller</i>	H927
Effect of thyroid hormone on canine cardiac Purkinje fiber transmembrane potential <i>J. M. Jaeger, S. R. Houser, A. R. Freeman, and J. F. Spann, Jr.</i>	H934
Transmural distribution of blood flow during activation of coronary muscarinic receptors <i>G. J. Gross, J. D. Buck, and D. C. Warltier</i>	H941

(Continued)

(Contents continued)

Stability of an experimental atrioventricular reentrant tachycardia in dogs <i>M. B. Simson, J. F. Spear, and E. N. Moore</i>	H947
Contractile dysfunction of atrial myocardium from endotoxin-shocked guinea pigs <i>J. L. Parker and H. R. Adams</i>	H954
Different sites of adenosine formation in the heart <i>W. Schütz, J. Schrader, and E. Gerlach</i>	H963
Contractility of vascular smooth muscle: maximum ability to contract in response to a stimulus <i>N. Skaug and R. Detar</i>	H971

SPECIAL COMMUNICATIONS

Hand arterial blood flow responses to local venous congestion <i>B. I. Levy, Y. Oliva, and J. P. Martineaud</i>	H980
--	------

<i>Subject Index to Volume 9</i>	H985
<i>Author Index to Volume 9</i>	H997

CORRIGENDA

Volume 238, February 1980

Volume 7, February 1980

Page H269: D. E. Mohrman. "A servo-controlled roller pump for cardiovascular research." *Page H270:* footnote 1 should read: For machine and assembly drawings necessary to duplicate this pump, order NAPS Document 03826 from Microfiche Publications, P.O. Box 3513, Grand Central Station, New York, NY 10017.

Volume 240, April 1981

Volume 9, April 1981

Page H612: J. Krivokapich and K. I. Shine. "Effects of hyperkalemia and glycoside on thallium exchange in rabbit ventricle." *Page H617:* column 1, line 2: 0.545 should read 0.0545.

